



US00D517882S

(12) **United States Design Patent**
Kushner

(10) **Patent No.:** **US D517,882 S**

(45) **Date of Patent:** **** Mar. 28, 2006**

(54) **CORKSCREW STAND**

D496,241 S * 9/2004 Yu D8/39
D504,292 S * 4/2005 Yeung D8/39

(76) Inventor: **Robert Gerald Kushner**, Flat G, Block G, Merry Terrace, 4 Seymour Road, Mid-Levels (HK)

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Caron D. Veynar
Assistant Examiner—Garth Rademaker
(74) *Attorney, Agent, or Firm*—Stuart Whittington

(21) Appl. No.: **29/208,186**

(57) **CLAIM**

(22) Filed: **Jun. 24, 2004**

The ornamental design for a corkscrew stand, as shown and described.

(51) **LOC (8) Cl.** **07-99**

(52) **U.S. Cl.** **D8/39**

(58) **Field of Classification Search** D8/16–20,
D8/33–35, 38–43, 88, 89, 105; 7/138, 151–166;
30/1.5, 169, 400–450; 81/3.05–3.49
See application file for complete search history.

DESCRIPTION


A tool and integrated stand for removing corks from bottles. FIG. 1 is a top right perspective view of a corkscrew stand according to my design; FIG. 2 is a top left perspective view of a corkscrew stand according to my design; FIG. 3 is a right side view thereof; FIG. 4 is a back view thereof; FIG. 5 is a front view thereof with expanded jaws; FIG. 6 is a top plan view of the corkscrew stand; and, FIG. 7 is a bottom plan view thereof. The circular cross-hatched pattern represents a debossed area.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D408,697 S	*	4/1999	de Bergen	D8/42
D442,043 S	*	5/2001	Kao	D8/39
D465,710 S	*	11/2002	Kao	D8/39
D467,141 S	*	12/2002	Li	D8/39
D471,777 S	*	3/2003	Yu	D8/39
D476,206 S	*	6/2003	Kushner et al.	D8/39
D476,541 S	*	7/2003	Kushner et al.	D8/39
D481,599 S		11/2003	Yu		

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7