

US00D517979S

(12)

United States Design Patent

Dumigan et al.

(10) Patent No.:

US D517,979 S

(45) Date of Patent:

** Mar. 28, 2006

(54)

TIRE TREAD

(75)

Inventors: Keith A. Dumigan, Akron, OH (US);
James G. Guspodin, Akron, OH (US);
Timothy J. Lissan, Kent, OH (US)

(73)

Assignee: Bridgestone Firestone North America
Tire, LLC, Nashville, TN (US)

(**)

Term: 14 Years

(21)

Appl. No.: 29/217,015

(22)

Filed: Nov. 10, 2004

(51)

LOC (8) Cl. 12-15

(52)

U.S. Cl. D12/600

(58)

Field of Classification Search D12/544,
D12/559, 564, 565, 579, 594, 595, 600, 601,
D12/900, 901; 152/209.1, 209.9, 209.18,
152/209.25
See application file for complete search history.

D483,322 S 12/2003 Knowles et al.

D483,323 S 12/2003 Williams

D485,233 S 1/2004 Kindig et al.

D486,782 S 2/2004 Fukunaga et al.

D488,432 S 4/2004 Aull et al.

D488,433 S 4/2004 Umstot et al.

D488,434 S 4/2004 Renner et al.

D490,365 S 5/2004 Kindig et al.

D490,366 S 5/2004 Kindig et al.

D491,134 S 6/2004 Brayer et al.

D492,643 S 7/2004 Robert

D492,930 S 7/2004 Maxwell

D493,415 S 7/2004 Noailly

D500,733 S * 1/2005 Himuro D12/588

D501,695 S * 2/2005 Lissan et al. 602/19

OTHER PUBLICATIONS

Co-op Silver Mark Tire, 2003 Tread Design Guide, Jan. 2003, p. 16. 3/5.*
* cited by examiner

Primary Examiner—Robert M. Spear
(74) Attorney, Agent, or Firm—Timothy R. Krogh

(56) References Cited

U.S. PATENT DOCUMENTS

5,088,536 A 2/1992 Graas et al.
D329,033 S 9/1992 Maxwell
D347,815 S 6/1994 Montag et al.
D365,067 S 12/1995 Kotanides, Jr. et al.
D365,069 S 12/1995 Kotanides, Jr. et al.
D379,341 S 5/1997 Ratliff, Jr.
D380,714 S 7/1997 Attinello et al.
D397,648 S 9/1998 Allen et al.
D403,630 S 1/1999 Maxwell et al.
D412,870 S 8/1999 Weber et al.
D416,217 S * 11/1999 Guspodin et al. D12/600
D447,724 S 9/2001 Edwards et al.
D448,328 S 9/2001 Dumigan et al.
D451,856 S 12/2001 Graas
D453,009 S 1/2002 Helt
D454,835 S 3/2002 Edwards
D455,710 S 4/2002 Oliver
D455,998 S 4/2002 Heinen et al.
D465,763 S * 11/2002 Umstot et al. D12/600
D479,505 S 9/2003 Williams
D483,321 S 12/2003 Hiroko

(57) CLAIM

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a fragmentary side perspective view of a tire tread showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire tread as indicated schematically by the broken lines, the opposite side being the same as that shown;
FIG. 2 is a front elevational view of the right side thereof, the opposite side being identical thereto; and,
FIG. 3 is a side elevational view of the right side thereof, the opposite side being identical thereto; and,
FIG. 4 is an enlarged fragmentary front elevational view thereof.
The broken lines defining the tire sidewall, inner bead, and the peripheral boundary between the claimed tire tread and sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4