



US00D519149S

(12) **United States Design Patent**  
**Ball**

(10) **Patent No.:** **US D519,149 S**

(45) **Date of Patent:** **\*\* Apr. 18, 2006**

- (54) **STRINGED INSTRUMENT PICK**
- (76) Inventor: **Malcolm Ball**, 875 Dockbridge Way,  
Alpharetta, GA (US) 30004
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/199,701**
- (22) Filed: **Feb. 17, 2004**
- (51) **LOC (8) Cl.** ..... **17-03**
- (52) **U.S. Cl.** ..... **D17/20; 84/322**
- (58) **Field of Classification Search** ..... **D17/20,**  
..... **D17/99; 84/320-322**  
See application file for complete search history.

- 6,008,442 A 12/1999 Reidenbach
- 6,225,539 B1 5/2001 Freeman
- 6,335,477 B1 1/2002 Miller
- 6,346,662 B1 2/2002 Sielaff
- 6,797,871 B1 \* 9/2004 Atkin ..... 84/322
- 2002/0178891 A1 12/2002 Atkin
- 2003/0047058 A1 3/2003 Pearson-Bey

\* cited by examiner

*Primary Examiner*—Adir Aronovich  
(74) *Attorney, Agent, or Firm*—Myers & Kaplan, LLC;  
Ashish D. Patel, Esq.

(57) **CLAIM**

The ornamental design for a stringed instrument pick, as shown and described.

(56) **References Cited**


**U.S. PATENT DOCUMENTS**


- 3,648,558 A 3/1972 Chenette
- 4,020,732 A 5/1977 Kelly
- 4,150,601 A \* 4/1979 Henley, Jr. .... 84/322
- D257,151 S 9/1980 Burke
- 4,625,616 A 12/1986 McVicker
- 4,867,032 A 9/1989 Lukehart
- 4,879,940 A 11/1989 Pereira
- D330,905 S \* 11/1992 Thomas ..... D17/20
- 5,307,722 A \* 5/1994 La Rosa ..... 84/322
- 5,419,228 A \* 5/1995 Garrett et al. .... 84/322
- 5,509,341 A 4/1996 Dunlop
- 5,648,622 A 7/1997 Storey
- 5,859,377 A 1/1999 Mackey et al.
- 5,864,075 A 1/1999 Mapson
- 5,973,243 A 10/1999 Christenson
- 5,981,857 A 11/1999 Mapson

**DESCRIPTION**


FIG. 1 is a top view of a stringed instrument pick according to the present invention.  
 FIG. 2 is a bottom view of a stringed instrument pick according to the present invention.  
 FIG. 3 is a side view of a stringed instrument pick according to the present invention.  
 FIG. 4 is a side view of a stringed instrument pick opposite of that shown in FIG. 3 according to the present invention.  
 FIG. 5 is a rear perspective view of a stringed instrument pick according to the present invention.  
 FIG. 6 is a bottom perspective view of a stringed instrument pick according to the present invention; and,  
 FIG. 7 is a top perspective view of a stringed instrument pick according to the present invention.

**1 Claim, 7 Drawing Sheets**







*Fig 1*




*Fig 2*




*Fig 3*




*Fig 4*



*Fig 5*



*Fig 6*



*Fig 7*