



US00D519449S

(12) **United States Design Patent** (10) **Patent No.:** **US D519,449 S**
Luneau (45) **Date of Patent:** **** Apr. 25, 2006**

(54) **CHARGER**

(75) Inventor: **Anne I. Luneau**, Hamburg (DE)

(73) Assignee: **Rovcal, Inc.**, Hayward, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/209,176**

(22) Filed: **Jul. 12, 2004**

(51) **LOC (8) Cl.** **13-02**

(52) **U.S. Cl.** **D13/108; D13/107**

(58) **Field of Classification Search** **D13/107-110,**
D13/118-119, 184; D14/251, 253; 320/107-115
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D277,845 S	*	3/1985	Ip	D13/107
D278,702 S	*	5/1985	Chiodo et al.	D13/107
D333,120 S	*	2/1993	Shimoo et al.	D13/107
D348,427 S	*	7/1994	Ohmaki et al.	D13/107
D358,363 S	*	5/1995	Usami	D13/107
D360,877 S	*	8/1995	Ropponen et al.	D13/184
D412,487 S	*	8/1999	Nagele et al.	D13/108
D432,122 S	*	10/2000	Richter	D14/253
D442,544 S	*	5/2001	Ku	D13/107
D478,557 S	*	8/2003	Pfeiffer	D13/184
D483,014 S	*	12/2003	Hsiao	D13/107

OTHER PUBLICATIONS

International Registration of Industrial Designs, Registration No. DM/064643, Dated Jul. 16, 2003.

* cited by examiner

Primary Examiner—Alan P. Douglas

Assistant Examiner—Rosemary Tarcza

(74) *Attorney, Agent, or Firm*—Quarles & Brady LLP

(57) **CLAIM**

The ornamental design for a charger, as shown and described.

DESCRIPTION

In a preferred form, the nature of this product is as a battery charging unit, particularly in the form of a plug-in charger, a tabletop charger, a combination charger and base, and a charger base.

FIG. 1 is a right, top, front perspective view of a charger embodying my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a right, top front perspective view of another alternate embodiment of my new design in the form of a plug-in charger;

FIG. 9 is a top plan view thereof;

FIG. 10 is a front elevational view thereof;


FIG. 11 is a rear elevational view thereof;

FIG. 12 is a right side elevational view thereof;

FIG. 13 is a left side elevational view thereof; and,

FIG. 14 is a bottom plan view thereof.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

