

US00D519537S

(12) **United States Design Patent** (10) **Patent No.:** **US D519,537 S**  
**Regan et al.** (45) **Date of Patent:** **\*\* Apr. 25, 2006**

(54) **COMPACT SPOTTING SCOPE**

2004/0212878 A1 10/2004 Regan et al.

(75) Inventors: **Rick R. Regan**, Aloha, OR (US);  
**Rodney H. Otteman**, Aloha, OR (US);  
**Erik R. Halverson**, Salem, OR (US)

OTHER PUBLICATIONS

American Technologies Network Corporation, NightStorm Waterproof Night Vision Diving Scope, [http://www.southwestweapons.com/atn\\_nightstormyellow.html](http://www.southwestweapons.com/atn_nightstormyellow.html), visited Aug. 9, 2005.

(73) Assignee: **Leupold & Stevens, Inc.**, Beaverton, OR (US)

Burris Optics, Spotting Scopes, <http://www.burrisoptics.com/spotting-scope.html>, visited Aug. 9, 2005.

(\*\*) Term: **14 Years**

\* cited by examiner

(21) Appl. No.: **29/222,808**

Primary Examiner—Paula A. Greene

(22) Filed: **Feb. 4, 2005**

(74) Attorney, Agent, or Firm—Stoel Rives LLP

**Related U.S. Application Data**

(57) **CLAIM**

(62) Division of application No. 29/203,602, filed on Apr. 15, 2004, which is a division of application No. 29/180,735, filed on Apr. 28, 2003, now Pat. No. Des. 490,097.

We claim the ornamental design for a compact spotting scope, as shown and described.

(51) **LOC (8) Cl.** ..... **16-06**

**DESCRIPTION**

(52) **U.S. Cl.** ..... **D16/132**

(58) **Field of Classification Search** ..... D16/130,  
D16/132; 359/399, 402, 408, 409, 422, 431,  
359/426, 429, 825, 826, 831, 835; D22/109

FIG. 1 is a perspective view of a compact spotting scope in accordance with a first embodiment, in which dashed lines indicate environmental features of a mounting boss and threaded hole, a lanyard mount, a side focus knob and turret, eyepiece cup ribbing, and threads adjacent the objective lens;

See application file for complete search history.

FIG. 2 is an objective end elevation view of the compact spotting scope of FIG. 1;

(56) **References Cited**

U.S. PATENT DOCUMENTS

D148,017 S	12/1947	Flint	
D165,231 S	* 11/1951	Kieffer, III et al. ....	D16/132
3,028,792 A	* 4/1962	Krajowsky et al. ....	359/422
D202,526 S	10/1965	Maguire	
D215,355 S	* 9/1969	Uldatherby .....	D16/132
D219,623 S	* 12/1970	Bushnell .....	D16/132
D247,625 S	* 3/1978	Huckenbeck .....	D16/132
D272,916 S	* 3/1984	Tomatsuri et al. ....	D16/132
D285,698 S	* 9/1986	Ogasawara .....	D16/132
D288,210 S	* 2/1987	Mise .....	D16/132
4,669,833 A	6/1987	Mise	
D300,039 S	* 2/1989	Huckenbeck .....	D16/132
D347,441 S	5/1994	Lutter et al.	
D395,440 S	6/1998	Ogasawara et al.	
D439,259 S	3/2001	Yamaguchi	
D490,097 S	5/2004	Regan et al.	

FIG. 3 is an eyepiece end elevation view of the compact spotting scope of FIG. 1, in which dashed lines near the eyepiece end indicate environmental features of surface indicia;

FIG. 4 is a top plan view of the compact spotting scope of FIG. 1;


FIG. 5 is a left side elevation view of the compact spotting scope of FIG. 1;

FIG. 6 is a bottom plan view of the compact spotting scope of FIG. 1; and,

FIG. 7 is a right side elevation view of the compact spotting scope of FIG. 1.

The broken lines in FIGS. 1 through 7 are for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2

FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7