



US00D519859S

(12) **United States Design Patent**
Chinnadurai et al.

(10) **Patent No.:** **US D519,859 S**

(45) **Date of Patent:** **** May 2, 2006**

(54) **VEHICLE DIAGNOSTIC DEVICE**

(75) Inventors: **Manokar Chinnadurai**, Owatonna, MN (US); **Matthew Jordison**, Blooming Prairie, MN (US); **Michael F. Banar**, Sterling Heights, MI (US)

(73) Assignee: **SPX Corporation**, Charlotte, NC (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/210,377**

(22) Filed: **Aug. 2, 2004**

(51) **LOC (8) Cl.** **10-04**

(52) **U.S. Cl.** **D10/46; D10/70**

(58) **Field of Classification Search** D10/46,
D10/70, 75; 340/425.5, 426.16, 438, 539.11,
340/539.14, 539.25, 541, 901, 903, 905,
340/937; 348/143, 148, 155; 701/26, 35-36,
701/200

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D322,582 S * 12/1991 Friedman D10/70

* cited by examiner

Primary Examiner—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—Baker & Hostetler LLP

(57) **CLAIM**

The ornamental design for a vehicle diagnostic device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the vehicle diagnostic device;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken lines in FIGS. 1-3, showing the communications cable, the communications connector, and power connector are for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

