



US00D520146S

(12) **United States Design Patent**
Brown

(10) **Patent No.:** **US D520,146 S**

(45) **Date of Patent:** **** May 2, 2006**

(54) **BARRICADE, NESTABLE, DEFENSIVE FIGHTING POSITION, PERSONNEL COT BUNKER**

D401,352 S * 11/1998 Nimmo et al. D25/58
6,212,840 B1 * 4/2001 Davidovitz 52/506.01

* cited by examiner

(76) Inventor: **James C. Brown**, 2121 Skyhawk Dr.,
Fort Wayne, IN (US) 46815

Primary Examiner—Doris Clark

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/174,180**

The ornamental design of the barricade, nestable, defensive fighting position, personnel cot bunker, as shown and described.

(22) Filed: **Jan. 13, 2003**

DESCRIPTION

(51) **LOC (8) Cl.** **25-02**

FIG. 1 is a front, right, and top perspective view of a barricade, nestable, defensive fighting position, personnel cot bunker showing my new design.

(52) **U.S. Cl.** **D25/58**

FIG. 2 is a rear, left, and bottom perspective view.

(58) **Field of Classification Search** D6/392,
D6/382; 5/2.1, 9.1, 110, 111, 429

FIG. 3 is an exploded top, front, and right perspective view.

See application file for complete search history.

FIG. 4 is an exploded bottom, rear, and left perspective view.

FIG. 5 is a collapsed top, front, and right perspective view.

(56) **References Cited**

U.S. PATENT DOCUMENTS


5,134,815 A * 8/1992 Pickett 52/71
5,487,237 A * 1/1996 Martin, Jr. 49/57

FIG. 6 is a collapsed rear, bottom, and left perspective view.

FIG. 7 is an exploded pre-nestable front, top, and right perspective view; and,

FIG. 8 is an exploded pre-nestable rear, bottom, and left perspective view.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8