



US00D520391S

(12) **United States Design Patent**  
**Motomizu et al.**

(10) **Patent No.:** **US D520,391 S**

(45) **Date of Patent:** **\*\* May 9, 2006**

(54) **BODY COMPOSITION METER**

(75) Inventors: **Yujiro Motomizu**, Tokyo (JP);  
**Masaaki Sato**, Tokyo (JP)

(73) Assignee: **Tanita Corporation**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/232,557**

(22) Filed: **Jun. 22, 2005**

(30) **Foreign Application Priority Data**

Dec. 22, 2004 (JP) ..... 2004-039351

(51) **LOC (8) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/92**

(58) **Field of Classification Search** ..... D10/92;  
177/4, 25.12-25.16, 177, 199, 210 R, 238-245,  
177/DIG. 3; 324/692; 600/506, 547

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D499,037 S \* 11/2004 Vuckovic ..... D10/92

\* cited by examiner

*Primary Examiner*—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—McDermott Will & Emery  
LLP

(57) **CLAIM**

The ornamental design for a body composition meter, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the body composition meter showing the new design;

FIG. 2 is a front view of the body composition meter;

FIG. 3 is a rear view of the body composition meter;

FIG. 4 is a side view of the body composition meter;


FIG. 5 is another side view of the body composition meter;

FIG. 6 is a top view of the body composition meter; and,

FIG. 7 is a bottom view of the body composition meter.

The broken line showing is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7