

US00D520489S

(12) **United States Design Patent**
Hakoda et al.

(10) **Patent No.:** **US D520,489 S**

(45) **Date of Patent:** **** May 9, 2006**

(54) **COMBINED RADIO RECEIVER AND CLOCK**

D500,020 S * 12/2004 Tanaka D14/168

(75) Inventors: **Katsuhisa Hakoda**, Tokyo (JP); **Yo Suzuki**, London (GB)

OTHER PUBLICATIONS

Web page "Grundig CCD6300" <http://www.h-e.nl/index.php>, 1 sheet, Hermes Electrics (Sep. 2004).

(73) Assignee: **Sony Corporation**, Tokyo (JP)

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Nanda Bondade

(21) Appl. No.: **29/219,880**

(74) *Attorney, Agent, or Firm*—Rader, Fishman & Grauer PLLC

(22) Filed: **Dec. 27, 2004**

(51) **LOC (8) Cl.** **14-01**

(52) **U.S. Cl.** **D14/171**

(58) **Field of Classification Search** D10/1,
D10/2, 15; D14/168, 170, 171, 188, 193–198;
455/344, 347, 350, 351

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a combined radio receiver and clock, as shown.

DESCRIPTION


FIG. 1 is a perspective view of a combined radio receiver and clock showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D220,544 S * 4/1971 Unger D14/188
- D344,520 S * 2/1994 Chan D14/194
- D379,627 S 6/1997 Takahashi
- D398,858 S * 9/1998 Taylor D10/15
- D421,607 S 3/2000 Hakoda

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7