

US00D520861S

(12) **United States Design Patent** (10) **Patent No.:** **US D520,861 S**  
**Jornod et al.** (45) **Date of Patent:** **\*\* May 16, 2006**

(54) **LOCKING STEM EXTENSION**

(75) Inventors: **Eugene R. Jornod**, Roscoe, IL (US);  
**Gerald R. Parsons**, Caledonia, IL (US)

(73) Assignee: **Invensys Building Systems, Inc.**,  
Loves Park, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/213,142**

(22) Filed: **Sep. 14, 2004**

(51) **LOC (8) Cl.** ..... **08-07**

(52) **U.S. Cl.** ..... **D8/343**

(58) **Field of Classification Search** ..... D8/330,  
D8/331, 343, 344, 349, 400, 499, 354; 70/51,  
70/52, 91, 141, 229, 258, 431, 466, DIG. 12,  
70/DIG. 26; 292/262, 1, 5, 289, 300  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,603,081	A	*	7/1952	Pelle	70/382
3,399,555	A	*	9/1968	Gray et al.	70/369
5,119,649	A	*	6/1992	Spence	70/14
5,332,251	A	*	7/1994	Farquhar	280/507
D350,686	S	*	9/1994	Myers	D8/343
D362,170	S	*	9/1995	Hollenbeck	D8/331
D364,548	S	*	11/1995	Platt	D8/331
5,671,624	A	*	9/1997	Sivils	70/408
D417,133	S	*	11/1999	Niswanger	D8/331
D462,004	S	*	8/2002	Jenks	D8/343
6,591,642	B1	*	7/2003	Kuo	70/58
D505,059	S	*	5/2005	Santa Maria et al.	D8/343

\* cited by examiner

*Primary Examiner*—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Reinhart Boerner Van  
Deuren

(57) **CLAIM**

We claim the ornamental design for a locking stem extension, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view showing details of a first end of our new design;

FIG. 2 is a perspective view showing details of a second end of our new design;

FIG. 3 is a front view of our new design, the rear view being a mirror image thereof;

FIG. 4 is a first end view of our new design showing the first end as designated in FIG. 1;

FIG. 5 is a second end view of our new design showing the second end as designated in FIG. 1;

FIG. 6 is a top view of our new design, the bottom view being a mirror image thereof;

FIG. 7 is a perspective view from the second end identified in FIG. 1 showing details of an interior of our new design;

FIG. 8 is a side view of our new design rotated along an axis thereof to a position askew of the front view of FIG. 3 and the top view of FIG. 6;

FIG. 9 is a perspective view of the first end of our new design identified in FIG. 1 showing details of an interior of a first segment of the first end thereof;

FIG. 10 is a perspective view of the first end of our new design identified in FIG. 1 showing details of an interior of a second segment of the first end thereof;

FIG. 11 is a perspective view of the first end of our new design identified in FIG. 1 showing details of an interior of a third segment of the first end thereof; and,

FIG. 12 is a perspective view of the first end of our new design identified in FIG. 1 showing details of an interior of a fourth segment of the first end thereof.

**1 Claim, 6 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 4




FIG. 3






FIG. 6




FIG. 5




FIG. 8




FIG. 7




FIG. 10




FIG. 9




FIG. 12




FIG. 11

