



US00D520892S

(12) **United States Design Patent**
Kobayakawa et al.

(10) **Patent No.:** **US D520,892 S**

(45) **Date of Patent:** **** May 16, 2006**

(54) **BODY COMPOSITION MONITOR**

(75) Inventors: **Tatsutoshi Kobayakawa**, Tokyo (JP);
Teruhisa Numata, Tokyo (JP)

(73) Assignee: **Tanita Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/234,328**

(22) Filed: **Jul. 18, 2005**

(30) **Foreign Application Priority Data**

Apr. 25, 2005 (JP) 2005-012308

(51) **LOC (8) Cl.** **10-04**

(52) **U.S. Cl.** **D10/92**

(58) **Field of Classification Search** D10/92;
177/4, 25.12-25.16, 177, 199, 210 R, 238-245,
177/DIG. 3; 324/692; 600/506, 547

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D477,543 S * 7/2003 Nahm D10/92

* cited by examiner

Primary Examiner—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—McDermott Will & Emery
LLP

(57) **CLAIM**

The ornamental design for a body composition monitor, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the body composition monitor showing the new design;

FIG. 2 is a front of the body composition monitor;

FIG. 3 is a rear view of the body composition monitor;

FIG. 4 is a side view of the body composition monitor;


FIG. 5 is another side view of the body composition monitor;

FIG. 6 is a top of the body composition monitor; and,

FIG. 7 is a bottom view of the body composition monitor.

The broken line showing is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7