



US00D520893S

(12) **United States Design Patent**
Sato

(10) **Patent No.:** **US D520,893 S**
(45) **Date of Patent:** **** May 16, 2006**

(54) **OPERATING SECTION FOR BODY COMPOSITION METER**

DESCRIPTION

(75) Inventor: **Masaaki Sato**, Shiki (JP)
(73) Assignee: **Tanita Corporation**, Tokyo (JP)
(**) Term: **14 Years**

(21) Appl. No.: **29/212,556**
(22) Filed: **Sep. 3, 2004**

(30) **Foreign Application Priority Data**

Mar. 4, 2004 (JP) 2004-006616

(51) **LOC (8) Cl.** **10-04**
(52) **U.S. Cl.** **D10/94**
(58) **Field of Classification Search** D10/86-94;
116/DIG. 32; 177/236-241, 25.13-25.18;
340/870.02, 870.03, 870.06, 870.11-870.15;
364/464.02, 567

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D502,417 S * 3/2005 Kobayakawa et al. D10/94
D503,119 S * 3/2005 Motomizu et al. D10/94
D507,983 S * 8/2005 Kobayakawa D10/94

* cited by examiner

Primary Examiner—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—McDermott Will & Emery LLP

(57) **CLAIM**

The ornamental design for an operating section for body composition meter, as shown and described.

FIG. 1 is a perspective view of an operating section for body composition meter according to my novel design;
FIG. 2 is a front view of the operating section for body composition meter of FIG. 1;
FIG. 3 is a rear view of the operating section for body composition meter of FIG. 1;
FIG. 4 is a left side view of the operating section for body composition meter of FIG. 1;
FIG. 5 is a right side view of the operating section for body composition meter of FIG. 1;
FIG. 6 is a plan view of the operating section for body composition meter of FIG. 1;
FIG. 7 is a bottom view of the operating section for body composition meter of FIG. 1;
FIG. 8 is an enlarged view of the operating section as indicated by solid line in FIG. 6;
FIG. 9 is a plan view of the operating section for body composition meter in FIG. 6 with the display being switched on.
FIG. 10 is a plan view of the operating section for body composition meter in FIG. 6 with English legend being put on the top surface of the operating keys;
FIG. 11 is an enlarged view of the operating section in FIG. 8 with English legend being put on the top surface of the operating keys; and,
FIG. 12 is a plan view of the operating section for body composition meter in FIG. 9 with English legend being put on the top surface of the operating keys.
The broken line in FIGS. 1 to 12 showing a representative shape of the body composition meter, is for illustrative purpose only, and forms no part of the claimed design.

1 Claim, 8 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12

