

US00D520895S

(12) **United States Design Patent**  
**Emery et al.**

(10) **Patent No.:** **US D520,895 S**

(45) **Date of Patent:** **\*\* May 16, 2006**

(54) **BRACELET**

D443,222 S \* 6/2001 Cabarbaye ..... D11/26  
D467,514 S \* 12/2002 Charriol ..... D11/3  
D472,839 S \* 4/2003 Charriol ..... D11/3

(75) Inventors: **R. Blake Emery**, Enumclaw, WA (US);  
**Kenneth J. Dowd**, Issaquah, WA (US);  
**Kee Sook Jeon**, Everett, WA (US)

\* cited by examiner

(73) Assignee: **The Boeing Company**, Chicago, IL  
(US)

*Primary Examiner*—Louis S. Zarfaz

*Assistant Examiner*—Michael A. Pratt

(74) *Attorney, Agent, or Firm*—John A. Artz; Artz & Artz

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/216,633**

The ornamental design for a bracelet, as shown and described.

(22) Filed: **Nov. 5, 2004**

**DESCRIPTION**

(51) **LOC (8) Cl.** ..... **11-01**

(52) **U.S. Cl.** ..... **D11/6**

(58) **Field of Classification Search** ..... D11/1–30,  
D11/37–39; D2/633; 224/178; 63/3; D10/32  
See application file for complete search history.


FIG. 1 is a perspective view of the design of a bracelet;  
FIG. 2 is a front view of the design of a bracelet;  
FIG. 3 is a back view of the design of a bracelet;  
FIG. 4 is a top view of the design of a bracelet;  
FIG. 5 is a bottom view of the design of a bracelet; and,  
FIG. 6 is a side view of the design of a bracelet, with the  
other side view being the same.





(56) **References Cited**

U.S. PATENT DOCUMENTS

D373,096 S \* 8/1996 Bergagnini ..... D11/28

**1 Claim, 2 Drawing Sheets**








FIG. 3




FIG. 6