

(12) United States Design Patent (10) Patent No.: US D521,125 S (45) **Date of Patent: **** May 16, 2006 Fritz

- FAUCET SPOUT (54)
- Inventor: Seth A. Fritz, Kendallville, IN (US) (75)
- Masco Corporation of Indiana, (73)Assignee: Indianapolis, IN (US)
- (**)14 Years Term:
- Appl. No.: 29/220,044 (21)

D469,854 S	S *	2/2003	Ouyoung D23/242
D479,871 S	S *	9/2003	Warshawsky D23/242
D489,795 S	S *	5/2004	Kulig et al D23/238
D502,534 S	S *	3/2005	Panis et al D23/242

* cited by examiner

Primary Examiner—Louis S. Zarfas Assistant Examiner—Gregory Andoll (74) Attorney, Agent, or Firm-Kwadjo Adusei-Poku; Lloyd D. Doigan

(57)

Filed: Dec. 23, 2004 (22)

LOC (8) Cl. 23-01 (51)(52)Field of Classification Search D23/238–257; (58)4/675-678; 137/801

See application file for complete search history.

(56)**References Cited** U.S. PATENT DOCUMENTS

D293,362 S * 12/1987 Hill et al. D23/241 D325,772 S * 4/1992 Carr D23/252 D357,730 S * 4/1995 Saperstein, deceased .. D23/252 D377,516 S * 1/1997 Doughty et al. D23/241 D406,876 S * 3/1999 Ko D23/241 D461,531 S * 8/2002 Ouyoung D23/242 D465,559 S * 11/2002 Chen D23/242 D466,982 S * 12/2002 Gerlach D23/242 D467,644 S * 12/2002 Panis et al. D23/242

CLAIM

The ornamental design for a faucet spout, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a faucet spout showing my design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a right side elevational view thereof, the left side elevational view being a mirror image thereof; FIG. 5 is a top plan view thereof; and, FIG. 6 is a rear perspective view thereof. The broken lines in the Figures are for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



U.S. Patent May 16, 2006 Sheet 1 of 6 US D521,125 S





U.S. Patent May 16, 2006 Sheet 2 of 6 US D521,125 S





U.S. Patent May 16, 2006 Sheet 3 of 6 US D521,125 S



U.S. Patent May 16, 2006 Sheet 4 of 6 US D521,125 S



U.S. Patent May 16, 2006 Sheet 5 of 6 US D521,125 S





U.S. Patent May 16, 2006 Sheet 6 of 6 US D521,125 S





