

(12) **United States Design Patent** (10) **Patent No.:** **US D521,209 S**
Esposito (45) **Date of Patent:** **** May 16, 2006**

(54) **PALLET CONTAINER**

DESCRIPTION

(76) Inventor: **Joseph Richard Esposito**, 1 Lyon Farm Ct., Port Chester, NY (US) 10573
 (**) Term: **14 Years**
 (21) Appl. No.: **29/206,483**
 (22) Filed: **Jun. 1, 2004**
 (51) **LOC (8) Cl.** **09-08**
 (52) **U.S. Cl.** **D34/38**
 (58) **Field of Classification Search** D34/38;
 108/51.11, 53.3, 56.1, 57.1, 57.17, 53.1, 57.16,
 108/54.1, 55.3, 55.1
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,420,640	A	*	5/1947	Acteson		217/43	A
3,628,805	A	*	12/1971	Archer		280/33.998	
3,752,087	A	*	8/1973	Finke		108/59	
5,199,589	A	*	4/1993	Noble		220/7	
5,228,821	A	*	7/1993	Gleffe et al.		414/403	
5,507,237	A	*	4/1996	Barrow et al.		108/55.1	
D387,557	S	*	12/1997	Provot		D3/307	
5,842,424	A	*	12/1998	Prevot et al.		108/54.1	
D453,603	S	*	2/2002	Bray et al.		D34/38	
D479,045	S	*	9/2003	Chandaria		D34/38	
D492,835	S	*	7/2004	Michaels et al.		D34/38	

* cited by examiner

Primary Examiner—Cynthia E. Ramirez


(74) *Attorney, Agent, or Firm*—Ostrolenk, Faber, Gerb & Soffen, LLP

(57) **CLAIM**

I claim the ornamental design for a pallet container, as shown and described.

FIG. 1 is a front top perspective view of a pallet container according to an embodiment of the present invention in a closed configuration;
 FIG. 2 is a front top perspective view of the pallet container of FIG. 1 in an open configuration;
 FIG. 3 is a rear top perspective view of the pallet container of FIG. 1 in a closed configuration;
 FIG. 4 is a rear top perspective view of the pallet container of FIG. 1 in an open configuration;
 FIG. 5 is a front bottom perspective view of the pallet container of FIG. 1 in a closed configuration;
 FIG. 6 is a front bottom perspective view of the pallet container of FIG. 5 in an open configuration;
 FIG. 7 is a rear bottom perspective view of the pallet container of FIG. 1 in a closed configuration;
 FIG. 8 is a rear bottom perspective view of the pallet container of FIG. 7 in an open configuration;
 FIG. 9 is a front top perspective view of another embodiment of a pallet container according to the present invention in a closed configuration;
 FIG. 10 is a front top perspective view of the pallet container of FIG. 9 in an open configuration;
 FIG. 11 is a rear top perspective view of the pallet container of FIG. 9 in a closed configuration;
 FIG. 12 is a rear top perspective view of the pallet container of FIG. 11 in an open configuration;
 FIG. 13 is a front bottom perspective view of a pallet container of FIG. 9 in a closed configuration;
 FIG. 14 is a front bottom perspective view of the pallet container of FIG. 13 in an open configuration;
 FIG. 15 is a rear bottom perspective view of the pallet container of FIG. 9 in a closed configuration; and,
 FIG. 16 is a rear bottom perspective view of the pallet container of FIG. 15 in an open configuration.
 The broken lines are provided for illustrative purposes only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15




Figure 16