



US00D521356S

(12) **United States Design Patent**  
**Littrell et al.**

(10) **Patent No.:** **US D521,356 S**

(45) **Date of Patent:** **\*\* May 23, 2006**

- (54) **CABLE LOCKING DEVICE**
- (75) Inventors: **Paul A. Littrell**, Fort Wayne, IN (US);  
**David L. Gilbert**, Fort Wayne, IN (US)
- (73) Assignee: **Brammall, Inc.**, Angola, IN (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/219,127**
- (22) Filed: **Dec. 13, 2004**
- (51) **LOC (8) Cl.** ..... **08-07**
- (52) **U.S. Cl.** ..... **D8/330; D8/383**
- (58) **Field of Classification Search** ..... D8/330,  
D8/333, 339, 343, 349, 367, 382, 383, 387,  
D8/394, 499; 70/51, 431, 466; 292/307 R,  
292/317, 318, 323, 324, 325  
See application file for complete search history.

- 5,092,641 A \* 3/1992 Penick, Jr. .... 292/307 R
- 5,222,776 A 6/1993 Georgopoulos et al.
- 5,352,003 A 10/1994 Bystry
- 5,538,300 A \* 7/1996 Brown ..... 292/307 R
- 5,568,952 A \* 10/1996 Ruegg ..... 292/318
- 5,582,447 A 12/1996 Leon et al.
- 5,611,583 A \* 3/1997 Bystry et al. .... 292/307 R
- 5,647,620 A 7/1997 Kuenzel
- 5,794,993 A 8/1998 Eckerdt
- 6,000,736 A 12/1999 Leon et al.
- 6,109,673 A 8/2000 Olshausen
- 6,131,969 A 10/2000 Natkins
- 6,293,599 B1 9/2001 Garcia
- D467,794 S \* 12/2002 Ueno ..... D8/383
- D472,135 S \* 3/2003 Labbe ..... D8/394
- D484,782 S \* 1/2004 Fuehrer ..... D8/383
- D485,161 S \* 1/2004 Hutchinson ..... D8/383
- 2004/0124641 A1 7/2004 Palzkill et al.

\* cited by examiner

*Primary Examiner*—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Van Dyke, Gardner, Linn & Burkhardt, LLP

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 830,565 A 9/1906 Brown
- 918,570 A 4/1909 Mather
- 968,665 A 8/1910 Humphrey
- 970,529 A 9/1910 Miller
- 1,001,878 A 8/1911 Miller
- 1,587,754 A 6/1926 Brune, Sr.
- 1,682,396 A 8/1928 Miller
- 2,809,065 A 10/1957 Erke
- 3,770,307 A 11/1973 Van Gompel
- 3,994,521 A \* 11/1976 Van Gompel ..... 292/319
- 4,097,164 A \* 6/1978 Campbell ..... 403/284
- D260,730 S \* 9/1981 Fujita ..... D8/356
- 4,588,218 A 5/1986 Guiler et al.
- 4,681,355 A 7/1987 Brammall et al.
- 4,722,562 A 2/1988 Burt
- 4,747,631 A \* 5/1988 Loynes et al. .... 292/307 R
- 4,929,006 A 5/1990 Tsay
- 4,946,210 A 8/1990 Fuehrer
- 5,056,837 A 10/1991 Fuehrer


(57) **CLAIM**

The ornamental design for a cable locking device, as shown and described.

**DESCRIPTION**

FIG. 1 is an upper perspective view of a cable locking device in accordance with the present invention; FIG. 2 is a lower perspective view thereof; FIG. 3 is an end elevation thereof; FIG. 4 is an opposite end elevation thereof; FIG. 5 is a side elevation thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a lower plan view thereof. It is understood that the cable represents an undermined length.

**1 Claim, 2 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 4




Fig. 3




Fig. 5




Fig. 6




Fig. 7