



US00D521356S

(12) **United States Design Patent** (10) **Patent No.:** **US D521,356 S**
Littrell et al. (45) **Date of Patent:** **** May 23, 2006**

(54) **CABLE LOCKING DEVICE**
(75) Inventors: **Paul A. Littrell**, Fort Wayne, IN (US);
David L. Gilbert, Fort Wayne, IN (US)
(73) Assignee: **Brammall, Inc.**, Angola, IN (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/219,127**
(22) Filed: **Dec. 13, 2004**
(51) **LOC (8) Cl.** **08-07**
(52) **U.S. Cl.** **D8/330; D8/383**
(58) **Field of Classification Search** D8/330,
D8/333, 339, 343, 349, 367, 382, 383, 387,
D8/394, 499; 70/51, 431, 466; 292/307 R,
292/317, 318, 323, 324, 325
See application file for complete search history.

5,092,641 A * 3/1992 Penick, Jr. 292/307 R
5,222,776 A 6/1993 Georgopoulos et al.
5,352,003 A 10/1994 Bystry
5,538,300 A * 7/1996 Brown 292/307 R
5,568,952 A * 10/1996 Ruegg 292/318
5,582,447 A 12/1996 Leon et al.
5,611,583 A * 3/1997 Bystry et al. 292/307 R
5,647,620 A 7/1997 Kuenzel
5,794,993 A 8/1998 Eckerdt
6,000,736 A 12/1999 Leon et al.
6,109,673 A 8/2000 Olshausen
6,131,969 A 10/2000 Natkins
6,293,599 B1 9/2001 Garcia
D467,794 S * 12/2002 Ueno D8/383
D472,135 S * 3/2003 Labbe D8/394
D484,782 S * 1/2004 Fuehrer D8/383
D485,161 S * 1/2004 Hutchinson D8/383
2004/0124641 A1 7/2004 Palzkill et al.

* cited by examiner

Primary Examiner—Prabhakar Deshmukh
(74) *Attorney, Agent, or Firm*—Van Dyke, Gardner, Linn & Burkhardt, LLP

(56) **References Cited**

U.S. PATENT DOCUMENTS

830,565 A 9/1906 Brown
918,570 A 4/1909 Mather
968,665 A 8/1910 Humphrey
970,529 A 9/1910 Miller
1,001,878 A 8/1911 Miller
1,587,754 A 6/1926 Brune, Sr.
1,682,396 A 8/1928 Miller
2,809,065 A 10/1957 Erke
3,770,307 A 11/1973 Van Gompel
3,994,521 A * 11/1976 Van Gompel 292/319
4,097,164 A * 6/1978 Campbell 403/284
D260,730 S * 9/1981 Fujita D8/356
4,588,218 A 5/1986 Guiler et al.
4,681,355 A 7/1987 Brammall et al.
4,722,562 A 2/1988 Burt
4,747,631 A * 5/1988 Loynes et al. 292/307 R
4,929,006 A 5/1990 Tsay
4,946,210 A 8/1990 Fuehrer
5,056,837 A 10/1991 Fuehrer


(57) **CLAIM**

The ornamental design for a cable locking device, as shown and described.

DESCRIPTION

FIG. 1 is an upper perspective view of a cable locking device in accordance with the present invention; FIG. 2 is a lower perspective view thereof; FIG. 3 is an end elevation thereof; FIG. 4 is an opposite end elevation thereof; FIG. 5 is a side elevation thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a lower plan view thereof. It is understood that the cable represents an undermined length.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 4




Fig. 3




Fig. 5




Fig. 6




Fig. 7