



US00D521356S

(12) **United States Design Patent** (10) **Patent No.:** **US D521,356 S**  
**Littrell et al.** (45) **Date of Patent:** **\*\* May 23, 2006**

(54) **CABLE LOCKING DEVICE**  
(75) Inventors: **Paul A. Littrell**, Fort Wayne, IN (US);  
**David L. Gilbert**, Fort Wayne, IN (US)  
(73) Assignee: **Brammall, Inc.**, Angola, IN (US)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/219,127**  
(22) Filed: **Dec. 13, 2004**  
(51) **LOC (8) Cl.** ..... **08-07**  
(52) **U.S. Cl.** ..... **D8/330; D8/383**  
(58) **Field of Classification Search** ..... D8/330,  
D8/333, 339, 343, 349, 367, 382, 383, 387,  
D8/394, 499; 70/51, 431, 466; 292/307 R,  
292/317, 318, 323, 324, 325  
See application file for complete search history.

5,092,641 A \* 3/1992 Penick, Jr. .... 292/307 R  
5,222,776 A 6/1993 Georgopoulos et al.  
5,352,003 A 10/1994 Bystry  
5,538,300 A \* 7/1996 Brown ..... 292/307 R  
5,568,952 A \* 10/1996 Ruegg ..... 292/318  
5,582,447 A 12/1996 Leon et al.  
5,611,583 A \* 3/1997 Bystry et al. .... 292/307 R  
5,647,620 A 7/1997 Kuenzel  
5,794,993 A 8/1998 Eckerdt  
6,000,736 A 12/1999 Leon et al.  
6,109,673 A 8/2000 Olshausen  
6,131,969 A 10/2000 Natkins  
6,293,599 B1 9/2001 Garcia  
D467,794 S \* 12/2002 Ueno ..... D8/383  
D472,135 S \* 3/2003 Labbe ..... D8/394  
D484,782 S \* 1/2004 Fuehrer ..... D8/383  
D485,161 S \* 1/2004 Hutchinson ..... D8/383  
2004/0124641 A1 7/2004 Palzkill et al.

\* cited by examiner

*Primary Examiner*—Prabhakar Deshmukh  
(74) *Attorney, Agent, or Firm*—Van Dyke, Gardner, Linn &  
Burkhart, LLP

(56) **References Cited**

U.S. PATENT DOCUMENTS

830,565 A 9/1906 Brown  
918,570 A 4/1909 Mather  
968,665 A 8/1910 Humphrey  
970,529 A 9/1910 Miller  
1,001,878 A 8/1911 Miller  
1,587,754 A 6/1926 Brune, Sr.  
1,682,396 A 8/1928 Miller  
2,809,065 A 10/1957 Erke  
3,770,307 A 11/1973 Van Gompel  
3,994,521 A \* 11/1976 Van Gompel ..... 292/319  
4,097,164 A \* 6/1978 Campbell ..... 403/284  
D260,730 S \* 9/1981 Fujita ..... D8/356  
4,588,218 A 5/1986 Guiler et al.  
4,681,355 A 7/1987 Brammall et al.  
4,722,562 A 2/1988 Burt  
4,747,631 A \* 5/1988 Loynes et al. .... 292/307 R  
4,929,006 A 5/1990 Tsay  
4,946,210 A 8/1990 Fuehrer  
5,056,837 A 10/1991 Fuehrer


(57) **CLAIM**

The ornamental design for a cable locking device, as shown and described.

**DESCRIPTION**

FIG. 1 is an upper perspective view of a cable locking device in accordance with the present invention; FIG. 2 is a lower perspective view thereof; FIG. 3 is an end elevation thereof; FIG. 4 is an opposite end elevation thereof; FIG. 5 is a side elevation thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a lower plan view thereof. It is understood that the cable represents an undermined length.

**1 Claim, 2 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7