



US00D521721S

(12) **United States Design Patent**  
**Ropp**

(10) **Patent No.:** **US D521,721 S**

(45) **Date of Patent:** **\*\* May 30, 2006**

(54) **THREAD SPOOL HOLDER**

(76) Inventor: **Gayle P. Ropp**, 504-B N. Thomas St.,  
Arlington, VA (US) 22203

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/213,855**

(22) Filed: **Sep. 24, 2004**

(51) **LOC (8) Cl.** ..... **02-07**

(52) **U.S. Cl.** ..... **D3/24**

(58) **Field of Classification Search** ..... D3/20,  
D3/23, 24, 25; 119/833; 54/6.1, 15, 7-9,  
54/71; 242/134, 136, 138, 141  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

73,825	A	*	1/1868	Myrick	.....	242/129.6
377,436	A	*	2/1888	Purcell	.....	225/78
431,347	A	*	7/1890	Gore	.....	242/129.6
556,592	A	*	3/1896	Tracheel	.....	248/227.2
D93,378	S	*	9/1934	Barone	.....	D3/25
D110,766	S	*	8/1938	Graff	.....	D3/25
D123,239	S	*	10/1940	Askowski	.....	D3/25
D252,396	S	*	7/1979	Gros	.....	D15/78

5,913,485	A	*	6/1999	Bruffett	.....	242/139
D486,958	S	*	2/2004	Sauber	.....	D3/25
D492,105	S	*	6/2004	Sauber	.....	D3/25

\* cited by examiner

*Primary Examiner*—Sandra S. Snapp

(74) *Attorney, Agent, or Firm*—Clark & Brody

(57) **CLAIM**

The ornamental design for a thread spool holder, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a thread spool holder showing my new design.

FIG. 2 is a top plan view thereof, the bottom view being a mirror image of FIG. 2.

FIG. 3 is a front elevation view thereof, the rear view being a mirror image of FIG. 3.

FIG. 4 is a right side elevation view thereof; and,

FIG. 5 is a left side elevation view thereof.

FIGS. 2, 4 & 5 are broken away for ease of illustration.

FIGS. 2-5 are enlarged for ease of illustration. The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

