



US00D521826S

(12) **United States Design Patent**  
**Hsieh**

(10) **Patent No.:** **US D521,826 S**

(45) **Date of Patent:** **\*\* May 30, 2006**

(54) **SOCKET CAPABLE OF BEING ENGAGED WITH A SPANNER FOR DRIVING A SCREW MEANS**

D477,198 S \* 7/2003 Staton ..... D8/29  
D489,589 S \* 5/2004 Wiljanen et al. .... D8/21

**OTHER PUBLICATIONS**

(76) Inventor: **Chih-Ching Hsieh**, 235 Chung-Ho Box 8-24, Taipei (TW)

Happ Controls 2003 p. 84.\*

(\*\*) Term: **14 Years**

\* cited by examiner

(21) Appl. No.: **29/215,810**

*Primary Examiner*—Raphael Barkai  
*Assistant Examiner*—Randall H. Gholson

(22) Filed: **Oct. 26, 2004**

(57) **CLAIM**

(51) **LOC (8) Cl.** ..... **08-05**

The ornamental design for a socket capable of being engaged with a spanner for driving a screw means, as shown and described.

(52) **U.S. Cl.** ..... **D8/29**

(58) **Field of Classification Search** ..... D8/21–29;  
81/119, 121.1, 124.3, 124.4, 124.6, 124.7,  
81/125, 125.1, 3.09, 486, 123, 124.2, 120,  
81/62, 63, 63.1

**DESCRIPTION**

See application file for complete search history.

FIG. 1 is a perspective view of a socket capable of being engaged with a spanner for driving a screw means showing my new design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,326,317 A \* 8/1943 Amtsberg ..... 403/318  
4,791,837 A \* 12/1988 Main ..... 81/63.1  
5,960,682 A \* 10/1999 Yamashita ..... 81/125  
D422,474 S \* 4/2000 Shiao ..... D8/83  
6,308,594 B1 \* 10/2001 Cheng ..... 81/62  
D472,114 S \* 3/2003 Palecki et al. .... D8/21

FIG. 2 is a front elevational view thereof.

FIG. 3 is a rear elevational view thereof.


FIG. 4 is a left side view thereof.

FIG. 5 is a right side view thereof.

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 4




FIG. 2




FIG. 5




FIG. 3




FIG. 6




FIG. 7