



US00D521871S

(12) **United States Design Patent**  
**Forte**

(10) **Patent No.:** **US D521,871 S**

(45) **Date of Patent:** **\*\* \*May 30, 2006**

(54) **CONTAINER WITH A SCALLOPED CAP**

D408,292 S \* 4/1999 Gundlach et al. .... D9/555  
D453,109 S \* 1/2002 Piquet ..... D9/451

(75) Inventor: **Gerald J. Forte**, North Brunswick, NJ  
(US)

**OTHER PUBLICATIONS**

(73) Assignee: **Wyeth**, Madison, NJ (US)

U.S. Appl. No. 29/195,649 filed Dec. 17, 2003.  
U.S. Appl. No. 29/195,650 filed Dec. 17, 2003.  
U.S. Appl. No. 29/195,651 filed Dec. 17, 2003.  
U.S. Appl. No. 29/195,652 filed Dec. 17, 2003.

(\* ) Notice: This patent is subject to a terminal disclaimer.

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Carol Rademaker

(21) Appl. No.: **29/195,655**

(74) *Attorney, Agent, or Firm*—Steve H. Flynn

(22) Filed: **Dec. 17, 2003**

(57) **CLAIM**

(51) **LOC (8) Cl.** ..... **09-01**

The ornamental design for a container with a scalloped cap, as shown and described.

(52) **U.S. Cl.** ..... **D9/556; D9/558**

(58) **Field of Classification Search** ..... D9/500,  
D9/502–504, 686–692, 694, 443, 452–454,  
D9/511, 513, 515–516, 518, 529, 548–549,  
D9/554–556, 558; 215/382–384, 396, 398,  
215/400; 220/269, 906

**DESCRIPTION**

See application file for complete search history.

FIG. 1 is a perspective view of a first embodiment of the container with a scalloped cap showing my new design; FIG. 2 is a front elevation view thereof; FIG. 3 is a rear elevation view thereof; FIG. 4 is a right side elevation view thereof; FIG. 5 is a left side elevation view thereof; FIG. 6 is a right side elevation view thereof, shown in exploded condition; FIG. 7 is a top plan view thereof; FIG. 8 is a bottom plan view thereof; FIG. 9 is a perspective view of a second embodiment of the container with a scalloped cap showing my new design; FIG. 10 is a front elevation view thereof; FIG. 11 is a rear elevation view thereof; FIG. 12 is a right side elevation view thereof; FIG. 13 is a left side elevation view thereof; FIG. 14 is a right side elevation view thereof, shown in exploded condition; FIG. 15 is a top plan view thereof; and, FIG. 16 is a bottom plan view thereof.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D152,625	S	*	2/1949	Kronman	.....	D9/453
D240,113	S	*	6/1976	Conrad	.....	D9/556
3,993,209	A	*	11/1976	Julian	.....	215/216
D246,858	S	*	1/1978	Larson	.....	D24/199
D256,672	S	*	9/1980	Beck	.....	D9/454
D264,685	S	*	6/1982	Ducros	.....	D9/556
4,452,363	A	*	6/1984	Davis	.....	215/216
D280,291	S	*	8/1985	Copsey et al.	.....	D9/500
5,381,912	A	*	1/1995	Walker et al.	.....	215/398 X
D359,907	S		7/1995	Hirsch		
D359,908	S		7/1995	Hirsch		
D359,909	S		7/1995	Hirsch		
D359,910	S		7/1995	Hirsch		
D368,658	S	*	4/1996	Hirsch	.....	D9/453
5,647,499	A	*	7/1997	Piazza	.....	220/269
5,803,287	A	*	9/1998	Kusz	.....	215/330
D405,371	S	*	2/1999	Herr	.....	D9/503
5,865,330	A	*	2/1999	Buono	.....	215/216

The broken lines shown in the drawings are for environmental purposes only and form no part of the claimed design.

**1 Claim, 16 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15






FIG. 16