



US00D521871S

(12) **United States Design Patent**
Forte

(10) **Patent No.:** **US D521,871 S**

(45) **Date of Patent:** **** *May 30, 2006**

(54) **CONTAINER WITH A SCALLOPED CAP**

D408,292 S * 4/1999 Gundlach et al. D9/555
D453,109 S * 1/2002 Piquet D9/451

(75) Inventor: **Gerald J. Forte**, North Brunswick, NJ
(US)

OTHER PUBLICATIONS

(73) Assignee: **Wyeth**, Madison, NJ (US)

U.S. Appl. No. 29/195,649 filed Dec. 17, 2003.
U.S. Appl. No. 29/195,650 filed Dec. 17, 2003.
U.S. Appl. No. 29/195,651 filed Dec. 17, 2003.
U.S. Appl. No. 29/195,652 filed Dec. 17, 2003.

(*) Notice: This patent is subject to a terminal disclaimer.

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Carol Rademaker

(21) Appl. No.: **29/195,655**

(74) *Attorney, Agent, or Firm*—Steve H. Flynn

(22) Filed: **Dec. 17, 2003**

(57) **CLAIM**

(51) **LOC (8) Cl.** **09-01**

The ornamental design for a container with a scalloped cap, as shown and described.

(52) **U.S. Cl.** **D9/556; D9/558**

(58) **Field of Classification Search** D9/500,
D9/502–504, 686–692, 694, 443, 452–454,
D9/511, 513, 515–516, 518, 529, 548–549,
D9/554–556, 558; 215/382–384, 396, 398,
215/400; 220/269, 906

DESCRIPTION

See application file for complete search history.

FIG. 1 is a perspective view of a first embodiment of the container with a scalloped cap showing my new design; FIG. 2 is a front elevation view thereof; FIG. 3 is a rear elevation view thereof; FIG. 4 is a right side elevation view thereof; FIG. 5 is a left side elevation view thereof; FIG. 6 is a right side elevation view thereof, shown in exploded condition; FIG. 7 is a top plan view thereof; FIG. 8 is a bottom plan view thereof; FIG. 9 is a perspective view of a second embodiment of the container with a scalloped cap showing my new design; FIG. 10 is a front elevation view thereof; FIG. 11 is a rear elevation view thereof; FIG. 12 is a right side elevation view thereof; FIG. 13 is a left side elevation view thereof; FIG. 14 is a right side elevation view thereof, shown in exploded condition; FIG. 15 is a top plan view thereof; and, FIG. 16 is a bottom plan view thereof.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D152,625 S	*	2/1949	Kronman	D9/453
D240,113 S	*	6/1976	Conrad	D9/556
3,993,209 A	*	11/1976	Julian	215/216
D246,858 S	*	1/1978	Larson	D24/199
D256,672 S	*	9/1980	Beck	D9/454
D264,685 S	*	6/1982	Ducros	D9/556
4,452,363 A	*	6/1984	Davis	215/216
D280,291 S	*	8/1985	Copsey et al.	D9/500
5,381,912 A	*	1/1995	Walker et al.	215/398 X
D359,907 S		7/1995	Hirsch		
D359,908 S		7/1995	Hirsch		
D359,909 S		7/1995	Hirsch		
D359,910 S		7/1995	Hirsch		
D368,658 S	*	4/1996	Hirsch	D9/453
5,647,499 A	*	7/1997	Piazza	220/269
5,803,287 A	*	9/1998	Kusz	215/330
D405,371 S	*	2/1999	Herr	D9/503
5,865,330 A	*	2/1999	Buono	215/216

The broken lines shown in the drawings are for environmental purposes only and form no part of the claimed design.

1 Claim, 16 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16