

US00D522080S

US D522,080 S

(12) United States Design Patent (10) Patent No.:

Shioda (45) Date of Patent: ** May 30, 2006

(54) GOLF BALL CLEANING DEVICE

(76) Inventor: **Yoshihiko Shioda**, 400-E Clanton Rd., Charlotte, NC (US) 28217

(**) Term: 14 Years

(21) Appl. No.: 29/225,621

(22) Filed: Mar. 18, 2005

(52) U.S. Cl. D21/789

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

1,710,816	A	4/1929	Evans
2,608,705	A	9/1952	Duff
2,624,900	A	1/1953	Smith
3,006,009	A	10/1961	Hoffecker
3,378,873	A	4/1968	Stout
3,453,675	A	7/1969	Barton et al.
3,462,230	A	8/1969	Beard
3,583,016	A	6/1971	McConnell
3,678,526	A	7/1972	Burkholder
3,750,219	A	8/1973	MacConnell
3,806,983	A	4/1974	Cunningham et a
4,084,287	A	4/1978	Ingram et al.
4,103,388	A	8/1978	DeVitis
4,374,445	A	2/1983	Wilson
4,403,366	A	9/1983	Lucke
4,411,040	A	10/1983	Sharrow et al.
4,683,603			Purlia et al.
4,974,763		12/1990	Widrig
5,075,918	A	12/1991	Zeltner et al.

(Continued)

FOREIGN PATENT DOCUMENTS

GB 404322 1/1934

Primary Examiner—Mitchell Siegel
(74) Attorney Agent or Firm—Kenne

(74) Attorney, Agent, or Firm—Kennedy Covington Lobdell & Hickman, LLP

(57) CLAIM

The golf ball cleaning device, as illustrated and described.

DESCRIPTION

FIG. 1 is a front elevational view of a golf ball cleaning device incorporating the design of the present invention;

FIG. 2 is a rear elevational view of the golf ball cleaning device of FIG. 1;

FIG. 3 is a bottom view of the golf ball cleaning device of FIG. 1;

FIG. 4 is a top view of the golf ball cleaning device of FIG. 1;

FIG. 5 is a side elevational view of the golf ball cleaning device of FIG. 1. The opposite side is a mirror-image of the side illustrated in FIG. 5;

FIG. 6 is an elevational view of the front of the golf ball cleaning device of FIG. 1 with a towel portion attached;

FIG. 7 is a rear elevational view of the golf ball cleaning device of FIG. 6;

FIG. 8 is a bottom view of the golf ball cleaning device of FIG. 6;

FIG. 9 is a top view of the golf ball cleaning device of FIG. 6;

FIG. 10 is a side elevational view of the golf ball cleaning device of FIG. 6. The opposite side is the mirror-image of the side illustrated in FIG. 10;

FIG. 11 is a front elevational view of the golf ball cleaning device of FIG. 6 with a fastener attached to the rear of the device;


FIG. 12 is a rear elevational view of the golf ball cleaning device of FIG. 11;

FIG. 13 is a bottom view of the golf ball cleaning device of FIG. 11;

FIG. 14 is a top view of the golf ball cleaning device of FIG. 11; and,

FIG. 15 is a side elevational view of the golf ball cleaning device of FIG. 11. The opposite side is the mirror-image of the side illustrated in FIG. 15.

1 Claim, 15 Drawing Sheets



US D522,080 S Page 2

U.S. PA	TENT DOCUMENTS	D449,666 S * 10/2001 McGee
5,641,232 A 6 5,813,080 A 9 5,930,920 A 8	1998 Hendren 1999 Arnold	6,550,093 B1 4/2003 Shioda D480,776 S * 10/2003 Faulk et al
6,148,464 A 11 6,226,827 B1 5	/2000 Shioda 5/2001 English, Jr.	* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7






FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15