



US00D522349S

(12) **United States Design Patent**  
**Amy**

(10) **Patent No.:** **US D522,349 S**  
(45) **Date of Patent:** **\*\* \*Jun. 6, 2006**

(54) **BOAT CLEAT**

4,297,962 A \* 11/1981 Johnson, Jr. .... 114/218  
D506,126 S \* 6/2005 Amy ..... D8/382

(76) Inventor: **Ron Amy**, P.O. Box 263, Penngrove,  
CA (US) 94951

\* cited by examiner

(\*) Notice: This patent is subject to a terminal disclaimer.

*Primary Examiner*—Holly H. Baynham  
(74) *Attorney, Agent, or Firm*—Johnson & Stainbrook LLP;  
Craig M. Stainbrook; Larry D. Johnson

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/221,294**

The ornamental design for a boat cleat, as shown and described.

(22) Filed: **Jan. 12, 2005**

(51) **LOC (8) Cl.** ..... **08-05**

(52) **U.S. Cl.** ..... **D8/356**

(58) **Field of Classification Search** ..... D8/356,  
D8/382; 114/217–218

See application file for complete search history.

**DESCRIPTION**


FIG. 1 is an upper right front perspective view.  
FIG. 2 is a right side elevational view, the left is a mirror image thereof.  
FIG. 3 is a rear elevational view.  
FIG. 4 is a top plan view; and,  
FIG. 5 is a bottom plan view.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**


D250,571 S \* 12/1978 Winslow ..... D8/382

**1 Claim, 3 Drawing Sheets**







**FIG. 1**




**FIG. 2**



**FIG. 4**



**FIG. 3**



**FIG. 5**