

US00D522418S

(12) **United States Design Patent**
Truebsbach

(10) **Patent No.:** **US D522,418 S**
(45) **Date of Patent:** **** Jun. 6, 2006**

(54) **SURFACE CONFIGURATION OF A REAR BUMPER FOR A VEHICLE**

(75) **Inventor:** **Sebastian Truebsbach**, Prien am Chiemsee (DE)

(73) **Assignee:** **Bayerische Motoren Werke Aktiengesellschaft**, Munich (DE)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/230,355**

(22) **Filed:** **May 20, 2005**

(51) **LOC (8) Cl.** **12-16**

(52) **U.S. Cl.** **D12/169**

(58) **Field of Classification Search** D12/90-92,
D12/86, 169, 196, 163; 296/180.1, 180.2;
293/102, 113, 115, 117, 120

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D490,756 S * 6/2004 Velazco D12/169

D505,893 S * 6/2005 Boyer D12/169

D509,171 S * 9/2005 Pfeiffer D12/169

D511,725 S * 11/2005 Nagashima D12/169

* cited by examiner

Primary Examiner—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a rear bumper for a vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a left perspective view of a first embodiment of a surface configuration of a rear bumper for a vehicle according to my novel design;

FIG. 2 is a right perspective view of the first embodiment of the surface configuration of a rear bumper for a vehicle according to my novel design;

FIG. 3 is a front view of the first embodiment of the surface configuration of a rear bumper for a vehicle according to my novel design;

FIG. 4 is a right side view of the first embodiment of the surface configuration of a rear bumper for a vehicle according to my novel design;

FIG. 5 is a left side view of the first embodiment of the surface configuration of a rear bumper for a vehicle according to my novel design;

FIG. 6 is a left perspective view of a second embodiment of the surface configuration of a rear bumper for a vehicle according to my novel design;

FIG. 7 is a right perspective view of the second embodiment of the surface configuration of a rear bumper for a vehicle according to my novel design;


FIG. 8 is a front view of the second embodiment of the surface configuration of a rear bumper for a vehicle according to my novel design;

FIG. 9 is a right side view of the second embodiment of the surface configuration of a rear bumper for a vehicle according to my novel design; and,

FIG. 10 is a left side view of the second embodiment of the surface configuration of a rear bumper for a vehicle according to my novel design.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10