

US00D522469S

(12) **United States Design Patent** (10) **Patent No.:** **US D522,469 S**
Suenaga (45) **Date of Patent:** **** Jun. 6, 2006**

(54) **LIGHT EMITTING DIODE**

(75) Inventor: **Ryoma Suenaga**, Komatsushima (JP)

(73) Assignee: **Nichia Corporation**, Anan (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/241,322**

(22) Filed: **Oct. 27, 2005**

4,152,624 A	5/1979	Knaebel	
D289,037 S	3/1987	Nishizawa et al.	
5,266,817 A	11/1993	Lin	
RE36,614 E	3/2000	Lumbard et al.	
D432,095 S	10/2000	Seeger et al.	
D439,351 S	3/2001	Kiba et al.	
6,608,334 B1	8/2003	Ishinaga	
D486,801 S	2/2004	Suenaga	
D488,137 S	4/2004	Kamada	
D491,899 S	6/2004	Yagi	
D497,884 S	* 11/2004	Suenaga	D13/180
D505,120 S	* 5/2005	Suenaga	D13/180

Related U.S. Application Data

(62) Division of application No. 29/226,624, filed on Mar. 31, 2005, which is a division of application No. 29/215,719, filed on Oct. 25, 2004, now Pat. No. Des. 505,120, which is a division of application No. 29/196,801, filed on Jan. 7, 2004, now Pat. No. Des. 497,884, which is a division of application No. 29/169,617, filed on Oct. 24, 2002, now Pat. No. Des. 486,801.

(30) **Foreign Application Priority Data**

Sep. 26, 2002	(JP)	2002-026314
Sep. 26, 2002	(JP)	2002-026315

(51) **LOC (8) Cl.** **13-03**

(52) **U.S. Cl.** **D13/180**

(58) **Field of Classification Search** D13/180,
D13/182; D10/101, 114; 257/76, 79, 88,
257/89, 93-99, 434, 676, 678, 687, 690,
257/698, 787; 313/498, 499, 500; 372/45;
361/760, 820, 226, 241, 249, 250, 307, 555,
361/800

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,855,606 A	12/1974	Schoberl
3,914,786 A	10/1975	Grossi

FOREIGN PATENT DOCUMENTS

JP	D1046564 S	8/1999
JP	D1146343 S	7/2002
JP	D1146344 S	7/2002

* cited by examiner

Primary Examiner—Prabhakar Deshmukh

Assistant Examiner—Selina Sikder

(74) *Attorney, Agent, or Firm*—Smith Patent Office

(57) **CLAIM**

I claim the ornamental design for a light emitting diode, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a light emitting diode showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a left side elevation view thereof;


FIG. 4 is a front elevation view thereof;

FIG. 5 is a right side elevation view thereof;

FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a rear elevation view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7