



US00D522495S

(12) **United States Design Patent**  
**Papoula et al.**

(10) **Patent No.:** **US D522,495 S**

(45) **Date of Patent:** **\*\* Jun. 6, 2006**

(54) **REMOTE CONTROL AND LOCATOR COMBINATION**

(76) Inventors: **Stephanie R. Papoula**, 10737 Flycast Cir., Orlando, FL (US) 32825; **Gary R. Papoula**, 10737 Flycast Cir., Orlando, FL (US) 32825

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/235,401**

(22) **Filed:** **Aug. 2, 2005**

(51) **LOC (8) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/218**

(58) **Field of Classification Search** ..... D14/174, D14/217, 218, 137-139, 151, 191-193, 299, D14/167, 168; D13/168, 162-164; D21/512-517, D21/566; D10/104, 106; 455/352-355, 151.1-151.4, 455/128, 347, 90.3; 348/114, 734  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D417,219 S \* 11/1999 Barrette et al. .... D14/218

D417,670 S \* 12/1999 Capps et al. .... D14/218  
D478,896 S \* 8/2003 Summers ..... D14/218  
D482,664 S \* 11/2003 Hunt et al. .... D13/168  
D499,395 S \* 12/2004 Hsu ..... D14/218  
D508,482 S \* 8/2005 Pardo ..... D14/218

\* cited by examiner

*Primary Examiner*—Louis S. Zarfes

*Assistant Examiner*—John Windmuller


(57) **CLAIM**

The ornamental design for a remote control and locator combination, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a remote control and locator combination showing our new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; and, FIG. 7 is a front right isometric view thereof.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7