

US00D522518S

(12) **United States Design Patent**
Loftus

(10) **Patent No.:** **US D522,518 S**
(45) **Date of Patent:** **** Jun. 6, 2006**

(54) **SPRING LOADED PORTABLE DATA STORAGE DEVICE**

(75) Inventor: **John Loftus**, Laguna Beach, CA (US)

(73) Assignee: **Memorex International, Inc.** (CN)

(**) Term: **14 Years**

(21) Appl. No.: **29/225,487**

(22) Filed: **Mar. 15, 2005**

(51) **LOC (8) Cl.** **14-02**

(52) **U.S. Cl.** **D14/435**

(58) **Field of Classification Search** D14/356,
D14/242, 436, 433, 474, 240; 360/97.01;
361/685, 686, 752, 737, 732, 784, 803; 439/135,
439/144, 139-141, 147, 136, 638, 518; 365/51,
365/63, 131; 710/52, 300; 711/115; 70/58
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,612,874	B1	*	9/2003	Stout et al.	439/640
2003/0161115	A1	*	8/2003	Kadonaga	361/737
2003/0167376	A1	*	9/2003	Koh	711/115
2003/0223286	A1	*	12/2003	Lee	365/200
2004/0019742	A1	*	1/2004	Wei et al.	711/115
2004/0080989	A1	*	4/2004	Yu	365/200

* cited by examiner

Primary Examiner—Alan P. Douglas

Assistant Examiner—Susan Moon Lee

(74) *Attorney, Agent, or Firm*—Heller Ehrman LLP

(57) **CLAIM**

The ornamental design for a spring loaded portable data storage device, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, and left perspective view of a portable data storage device, showing the design.

FIG. 2 is a top view of the portable data storage device of FIG. 1.

FIG. 3 is a back view of the portable data storage device of FIG. 1.

FIG. 4 is a front view of the portable data storage device of FIG. 1.

FIG. 5 is a left side view of the portable data storage device of FIG. 1.

FIG. 6 is a bottom view of the portable data storage device of FIG. 1.

FIG. 7 is a top view of a portable data storage device with a light and a lanyard attachment, showing the design.

FIG. 8 is a back view of the portable data storage device of FIG. 7 with a light, showing the design.

FIG. 9 is a front view of the portable data storage device of FIG. 7.

FIG. 10 is a left side view of the portable data storage device of FIG. 7 with a lanyard attachment, showing the design.

FIG. 11 is a bottom view of the portable data storage device of FIG. 7.

FIG. 12 is a top view of a portable data storage device with a light and a lanyard attachment on the eject button, showing the design.

FIG. 13 is a back view of the portable data storage device of FIG. 12, showing the design.

FIG. 14 is a front view of the portable data storage device of FIG. 12.

FIG. 15 is a left side view of the portable data storage device of FIG. 12.

FIG. 16 is a bottom view of the portable data storage device of FIG. 12, with a lanyard attachment on the eject button, showing the design.

FIG. 17 is a top view of a portable data storage device of FIG. 1 with the USB connection retracted, showing the design; and,

FIG. 18 is a left side view of the portable data storage device of FIG. 1 with the USB connection retracted, showing the design.

The broken lines shown on the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18

