



US00D523061S

(12) **United States Design Patent**
Asman et al.

(10) **Patent No.:** **US D523,061 S**
(45) **Date of Patent:** **** Jun. 13, 2006**

(54) **EYEGLOSS FRAME**
(75) Inventors: **Steven Asman**, Searingtown, NY (US);
Tatsuro Kimura, Otsu (JP); **Carey Gordon**, Dallas, TX (US)

(73) Assignee: **Innoventions Enterprises Ltd.**,
Farmingdale, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/179,871**

(22) Filed: **Apr. 16, 2003**

(51) **LOC (8) Cl.** **16-06**

(52) **U.S. Cl.** **D16/335; D16/330; D16/315**

(58) **Field of Classification Search** D16/300–330,
D16/101, 332–338; D29/109–110; D24/110.2;
351/41, 44, 51–52, 158, 92, 103–111, 130,
351/61, 114–119, 122–123; 2/426–432, 448,
2/441, 447, 434–437

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,705,229	A	3/1929	Welsh	
1,743,796	A	1/1930	Nelson	
1,779,015	A	10/1930	Schmitt	
1,979,855	A	11/1934	Belgard	
3,582,194	A	6/1971	Liautaud	
3,605,116	A	9/1971	Simpson et al.	
3,944,344	A	3/1976	Wichers	
4,026,640	A	5/1977	Everborg	
D253,599	S	* 12/1979	Bell, Jr. D16/335
4,904,075	A	2/1990	Blumenthal	
4,963,013	A	10/1990	Bononi	
D353,152	S	12/1994	Dweck et al.	

5,631,718	A	*	5/1997	Markovitz et al.	351/111
5,673,095	A		9/1997	Conway		
5,760,868	A	*	6/1998	Jannard et al.	351/41
5,828,436	A		10/1998	Lester		
5,936,699	A		8/1999	Wang		
6,000,797	A		12/1999	Ichihashi et al.		
6,017,120	A		1/2000	McCormick		
D423,035	S	*	4/2000	Yee et al.	D16/335
6,045,221	A		4/2000	Resendez, Sr.		
D429,751	S	*	8/2000	Garrity et al.	D16/309
6,343,859	B1		2/2002	McCormick		
6,802,604	B1	*	10/2004	McCormick	351/112
2002/0021405	A1	*	2/2002	Fukai	351/111
2002/0149738	A1		10/2002	MvCormick		
2004/0207804	A1	*	10/2004	Asman et al.	351/111

* cited by examiner

Primary Examiner—Raphael Barkai

(74) *Attorney, Agent, or Firm*—Frishauf, Holtz, Goodman & Chick, P.C.


(57) **CLAIM**

The ornamental design for an eyeglass frame, as shown.

DESCRIPTION

FIG. 1 is a top, front, right-side perspective view of a first embodiment configured as in use;
FIG. 2 is a front elevational view of same;
FIG. 3 is a top plan view of same;
FIG. 4 is a right-side elevational view of same, the left side view being a mirror image thereof;
FIG. 5 is a rear elevational view of same; and,
FIG. 6 is a bottom plan view of same.
The broken lines shown in FIGS. 1–6 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6