

US00D523141S

(12) **United States Design Patent**
Massey

(10) **Patent No.:** **US D523,141 S**

(45) **Date of Patent:** **** Jun. 13, 2006**

(54) **CANISTER**

(75) Inventor: **Laurence Massey**, Bray (IE)

(73) Assignee: **BTG International Limited**, London (GB)

(**) Term: **14 Years**

(21) Appl. No.: **29/200,417**

(22) Filed: **Feb. 27, 2004**

(30) **Foreign Application Priority Data**

Aug. 28, 2003 (GB) 3014211

(51) **LOC (8) Cl.** **24-04**

(52) **U.S. Cl.** **D24/121; D9/502; D9/503**

(58) **Field of Classification Search** D24/121,
D24/224; D9/744, 745, 448, 452, 449, 504,
D9/688, 690, 500, 502, 435, 439, 444, 445,
D9/454; 215/6, 10; 222/145.1, 631, 133,
222/136, 135, 155, 145.5, 385

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,904,124 A * 9/1975 Caron et al. 222/631

4,444,324 A * 4/1984 Grenell 215/6
5,405,051 A * 4/1995 Miskell 222/145.1
5,431,303 A * 7/1995 Miskell 222/145.1
D479,326 S * 9/2003 Pollock et al. D24/121

* cited by examiner

Primary Examiner—Louis S. Zarfaz

Assistant Examiner—Daniel Yu

(74) *Attorney, Agent, or Firm*—Hoffman, Wasson & Gitler

(57) **CLAIM**

The ornamental design for a canister, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of the canister in the extended position;

FIG. 2 is a perspective view of the canister in the closed position; and

FIG. 3 is a perspective view of the connector in FIG. 1 with the upper and lower canister removed for ease of illustration; and,

FIG. 4 is a side view thereof.

1 Claim, 2 Drawing Sheets






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4