

US00D523205S

(12) **United States Design Patent** (10) **Patent No.:** **US D523,205 S**
Burks et al. (45) **Date of Patent:** **** Jun. 13, 2006**

(54) **GAS BOTTLE TRANSPORTER**

(76) Inventors: **Gene Burks**, 6308 W. IH-20,
Weatherford, TX (US) 76088; **Kerry
Ricketts**, 260 Valley La., Weatherford,
TX (US) 76085; **Gabriel Rodriquez**,
260 Valley La., Weatherford, TX (US)
76085

(**) Term: **14 Years**

(21) Appl. No.: **29/227,693**

(22) Filed: **Apr. 14, 2005**

(51) **LOC (8) Cl.** **12-02**

(52) **U.S. Cl.** **D34/24**

(58) **Field of Classification Search** D34/12-27,
D34/1; 280/47.131, 47.17-47.19, 47.24,
280/47.28, 47.27, 47.34, 47.2, 47.29, 47.315,
280/40, 200, 641, 652, 651, 655, 655.1, 646,
280/79.11, 79.2, 79.5; 180/19.1-19.3; 248/129;
414/490, 444; D15/13; D3/201

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,512,454 A * 10/1924 Cade 280/47.27
2,417,918 A * 3/1947 Fatur 414/456
2,483,908 A * 10/1949 Jackson 414/428
2,704,165 A * 3/1955 Hoover 414/456
D186,931 S * 12/1959 Charles et al. D24/164
D241,303 S * 9/1976 Sandel D8/14
D245,595 S * 8/1977 Johnson D34/26
D281,112 S * 10/1985 Nichols D34/26

4,684,141 A * 8/1987 Nunokawa 280/40
4,746,141 A * 5/1988 Willis 280/655
D340,788 S * 10/1993 Lowenstein D34/26
5,427,393 A * 6/1995 Kriebel 280/47.28
D361,189 S * 8/1995 Smeitink D34/26
6,053,516 A * 4/2000 Ottaway 280/79.5

* cited by examiner

Primary Examiner—Freda Nunn

Assistant Examiner—Kevin K. Rudzinski

(74) *Attorney, Agent, or Firm*—Charles D. Gunter, Jr.

(57) **CLAIM**

The ornamental design for the gas bottle transporter, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the gas bottle transporter of the invention showing the use of the transporter to engage and transport a propane bottle with the bottle being shown in phantom lines to better illustrate the environment of the invention but not forming a part of the invention;

FIG. 2 is a front elevational view of the gas bottle transporter of the invention;

FIG. 3 is a left side view of the transporter of FIG. 2, the right side view being a mirror image thereof;


FIG. 4 is a back view of the transporter of FIG. 2;



FIG. 5 is a top end view of the transporter of FIG. 2;

FIG. 6 is a bottom end view of the transporter of the invention; and,

FIG. 7 is a perspective view of the transporter of the invention, showing the handle thereof in the collapsed position.

1 Claim, 3 Drawing Sheets








FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6