

(12) United States Design Patent (10) Patent No.: US D523,382 S Truebsbach (45) Date of Patent: ** Jun. 20, 2006

- (54) SURFACE CONFIGURATION OF A FRONT BUMPER FOR A VEHICLE
- (75) Inventor: Sebastian Truebsbach, Prien am Chiemsee (DE)
- (73) Assignee: Bayerische Motoren WerkeAktiengesellschaft, Munich (DE)
- (**) Term: 14 Years

D489,648 S	*	5/2004	Gale et al D12/92
D494,899 S	*	8/2004	Chapman D12/169
D499,363 S	*	12/2004	Velazco D12/169

* cited by examiner

Primary Examiner—Melody N. Brown (74) Attorney, Agent, or Firm—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a front bumper for a vehicle, as shown and described.

(21) Appl. No.: 29/229,564

(22) Filed: May 10, 2005

- (52) U.S. Cl. D12/169
- (58) Field of Classification Search D12/169, D12/196, 190, 90–92, 171; 296/180.1, 180.2; 293/102, 113, 115, 120

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D392,220 S	*	3/1998	Haussmann D12/91
D426,503 S	*	6/2000	Goplen D12/169
D436,059 S	*	1/2001	Goplen D12/91
D464,914 S	*	10/2002	Warkuss et al D12/91
D467,206 S	*	12/2002	Warming D12/169
D476,277 S	*	6/2003	Yokomaku D12/196
D486,432 S	*	2/2004	Chan D12/169

DESCRIPTION

FIG. 1 is a left perspective view of a surface configuration of a front bumper for a vehicle according to my novel design;

FIG. 2 is a right perspective view of the surface configuration of a front bumper for a vehicle according to my novel design;

FIG. 3 is a front view of the surface configuration of a front bumper for a vehicle according to my novel design;FIG. 4 is a right side view of the surface configuration of a front bumper for a vehicle according to my novel design; and,

FIG. **5** is a left side view of the surface configuration of a front bumper for a vehicle according to my novel design. The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



U.S. Patent Jun. 20, 2006 Sheet 1 of 2 US D523,382 S

REFERENCE

.



FIG.1





U.S. Patent Jun. 20, 2006 Sheet 2 of 2 US D523,382 S





FIG. 3





.

FIG. 4

FIG. 5