



US00D523467S

(12) **United States Design Patent**
Riopelle et al.

(10) **Patent No.:** **US D523,467 S**

(45) **Date of Patent:** **** Jun. 20, 2006**

(54) **BEAM ACTIVATED MUSICAL INSTRUMENT**

(75) Inventors: **Gerald Henry Riopelle**, Scottsdale, AZ (US); **Mark James Jarrett**, Mesa, AZ (US)

(73) Assignee: **HumanBeams, Inc.**, Scottsdale, AZ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/203,005**

(22) Filed: **Apr. 8, 2004**

(51) **LOC (8) Cl.** **17-99**

(52) **U.S. Cl.** **D17/99**

(58) **Field of Classification Search** D17/24,
D17/99; 84/470 R, 724, DIG. 23; 174/52.1;
250/221; 315/120, 149; 434/247; 439/762,
439/857; 446/175

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,314,038	A	*	3/1943	Elting	174/52.1
3,076,953	A	*	2/1963	Sloop	439/857
3,936,134	A	*	2/1976	Piscionere, Sr.	439/762
4,688,460	A	*	8/1987	McCoy	84/724
5,017,770	A	*	5/1991	Sigalov	250/221
6,142,849	A	*	11/2000	Horton et al.	446/175
6,492,775	B1	*	12/2002	Klotz et al.	315/120
6,685,480	B1	*	2/2004	Nishimoto et al.	434/247

OTHER PUBLICATIONS

Thru-beam fork sensor, Archive Press Release, Balluff, Inc. (Mar. 20, 2002) published on <http://news.thomasnet.com/fullstory/9366/3919>.*

* cited by examiner

Primary Examiner—Adir Aronovich

Assistant Examiner—Christopher Lee

(74) *Attorney, Agent, or Firm*—Greenberg Traurig, LLP; Richard E. Kurtz, II; James E. Goepel

(57) **CLAIM**

The ornamental design for a beam activated musical instrument, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a beam activated musical instrument showing our new design.

FIG. 2 is a front view thereof.

FIG. 3 is a back view thereof.

FIG. 4 is a left side view thereof.

FIG. 5 is a right side view thereof.

FIG. 6 is a top view thereof.

FIG. 7 is a bottom view thereof.

FIG. 8 is a perspective view of the instrument, to which a similar, second instrument has been attached at an obtuse angle.


FIG. 9 is a perspective view of the instrument, to which a similar, second instrument has been attached at an acute angle.

FIG. 10 is a perspective view of the instrument, to which a similar, second instrument has been attached, wherein the instruments are in a closed state for storage; and

FIG. 11 is a front view of the instrument, to which a plurality of similar instruments have been attached.

The broken line showing of similar instruments in FIGS. 8–11 is to illustrate environment only and forms no part of the claimed design.

1 Claim, 9 Drawing Sheets






Figure 1




Figure 2




Figure 3




Figure 4



Figure 5



Figure 6



Figure 7




Figure 8




Figure 9



Figure 10




Figure 11