



US00D523647S

(12) **United States Design Patent**
Hill et al.

(10) **Patent No.:** **US D523,647 S**
(45) **Date of Patent:** **** Jun. 27, 2006**

(54) **AUTOMOTIVE SEAT**

(75) Inventors: **Matthew Hill**, Irvine, CA (US); **David Woodhouse**, Newport Coast, CA (US)

(73) Assignee: **Ford Global Technologies, LLC**, Dearborn, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/220,952**

(22) Filed: **Jan. 7, 2005**

(51) **LOC (8) Cl.** **06-01**

(52) **U.S. Cl.** **D6/333**

(58) **Field of Classification Search** D6/333,
D6/356, 334, 335, 367, 344, 348, 374, 375,
D6/361, 500-503, 601; 297/16.1, 32, 184.3,
297/488, 467, 250.1, 250, 258.1, 260.1, 270,
297/344.23, 229, 18, 344.21, 255, 374, 364,
297/451.3, DIG. 11, 440.11, 452.13, 440.15,
297/277, 452.34, 270.3; D21/412; 5/105,
5/108, 109

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D219,813 S * 2/1971 McQueen D6/356
D283,469 S * 4/1986 Zimmerman D6/356
D284,144 S * 6/1986 Pedersen D6/374
D317,534 S * 6/1991 Hansel D6/356
D358,514 S * 5/1995 Lovegrove D6/500
D384,388 S * 9/1997 Eddy D21/823
D396,152 S 7/1998 Beermann et al.
5,845,967 A * 12/1998 Kane et al. 297/250.1
D404,928 S * 2/1999 Safrit D6/356
6,079,780 A * 6/2000 Bapst 297/250.1

D433,828 S * 11/2000 Safrit D6/356
D453,078 S 1/2002 Yamazaki et al.
D458,465 S 6/2002 Boulay et al.
6,412,866 B1 * 7/2002 Koyanagi et al. 297/250.1
6,464,294 B1 * 10/2002 Kain 297/250.1
6,623,074 B1 * 9/2003 Asbach et al. 297/250.1
D484,941 S * 1/2004 Johnson D21/823
D501,096 S * 1/2005 Desnos D6/358
D502,610 S 3/2005 Murphy
D509,077 S * 9/2005 Beermann et al. D6/356
2005/0099046 A1 * 5/2005 Barth et al. 297/250.1

OTHER PUBLICATIONS

Mercury Messenger, North American International Auto Show, Detroit, Michigan, Jan. 2003.

* cited by examiner

Primary Examiner—Janice E. Seeger

Assistant Examiner—Sydney R. Buffalow

(74) *Attorney, Agent, or Firm*—Frank A. Mackenzie

(57) **CLAIM**


The ornamental design for an automotive seat, as shown and described.

DESCRIPTION

FIG. 1 is a front/left side perspective view of an automotive seat in accordance with the present invention, wherein a front/right side perspective view is a mirror image thereof; FIG. 2 is a rear/left side perspective view of the automotive seat of FIG. 1, wherein a rear/right side perspective view is a mirror image thereof; and, FIG. 3 is a front perspective view of the automotive seat of FIG. 1.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG - 1




FIG - 2

FIG - 3

