



US00D523924S

(12) **United States Design Patent**
Byron

(10) **Patent No.:** **US D523,924 S**
(45) **Date of Patent:** **** Jun. 27, 2006**

(54) **ERGONOMIC SPRAYER HANDLE**

(75) Inventor: **David L. Byron**, Honeoye Falls, NY
(US)

(73) Assignee: **Chaplin Manufacturing**, Batavia, NY
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/216,274**

(22) Filed: **Nov. 1, 2004**

(51) **LOC (8) Cl.** **23-01**

(52) **U.S. Cl.** **D23/213**

(58) **Field of Classification Search** D23/213,
D23/223, 226; 239/525, 526

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D239,386 S	*	3/1976	Slater et al.	D23/226
5,718,668 A	*	2/1998	Arnett et al.	601/155
D397,421 S	*	8/1998	Adams	D23/226
D399,917 S	*	10/1998	Edwards et al.	D23/223
D441,833 S	*	5/2001	Haas	D23/226

* cited by examiner

Primary Examiner—Robin Webster

(74) *Attorney, Agent, or Firm*—Kenneth J. Lukacher

(57) **CLAIM**

The ornamental design for an ergonomic sprayer handle, as shown.

DESCRIPTION

FIG. 1 is a front side view of an ergonomic sprayer handle according to the present invention;

FIG. 2 is a right side view of the sprayer handle shown in FIG. 1;

FIG. 3 is a back view of the sprayer handle shown in FIG. 1;

FIG. 4 is a left view of the sprayer handle shown in FIG. 1;

FIG. 5 is a top view of the sprayer handle shown in FIG. 1; and

FIG. 6 is a bottom view of the sprayer handle shown in FIG. 1.

FIG. 7 is a front side view of an alternate ergonomic sprayer handle according to the present invention;

FIG. 8 is a right side view of the sprayer handle shown in FIG. 7;



FIG. 9 is a back view of the sprayer handle shown in FIG. 7;

FIG. 10 is a left view of the sprayer handle shown in FIG. 7;

FIG. 11 is a top view of the sprayer handle shown in FIG. 7; and,

FIG. 12 is a bottom view of the sprayer handle shown in FIG. 7.

1 Claim, 12 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 523,924 S
APPLICATION NO. : 29/216274
DATED : June 27, 2006
INVENTOR(S) : Byron

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page, item (73), Assignee's name should be changed from "Chaplin Manufacturing" to --Chapin Manufacturing, Inc.--.

Signed and Sealed this

Thirty-first Day of July, 2007

A handwritten signature in black ink on a light gray dotted background. The signature reads "Jon W. Dudas" in a cursive style.

JON W. DUDAS

Director of the United States Patent and Trademark Office