



US00D524122S

(12) **United States Design Patent**
Johnson et al.

(10) **Patent No.:** **US D524,122 S**

(45) **Date of Patent:** **** Jul. 4, 2006**

(54) **COOKIE CUTTER**

(76) Inventors: **Beverly Johnson**, 1156 Crystal Pl.,
West, Chaska, MN (US) 55318;
Johnnie Johnson, 1156 Crystal Pl.,
West, Chaska, MN (US) 55318; **Harvey**
Schindler, 1921 125th St., Burnsville,
MN (US) 55337

(**) Term: **14 Years**

(21) Appl. No.: **29/212,553**

(22) Filed: **Sep. 3, 2004**

(51) **LOC (8) Cl.** **07-04**

(52) **U.S. Cl.** **D7/675**

(58) **Field of Classification Search** D7/672-675;
30/130, 301, 305, 315, 316, 299, 303, 306;
99/426, 428, 439; 425/122, 144, 289, 298;
426/503

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

139,217 A	5/1873	Webster	
1,399,449 A	12/1921	Tretheway	
2,119,260 A	5/1938	Valle	
D157,012 S	1/1950	Towler	
2,618,852 A	* 11/1952	Clough	30/299

D210,310 S	2/1968	Levin	
4,606,716 A	8/1986	McCaffrey	
D304,403 S	* 11/1989	Wolff	D7/675
D313,730 S	* 1/1991	Wolff	D7/675
5,062,356 A	* 11/1991	Frankowski	99/428
D397,588 S	* 9/1998	Mishan	D7/672

* cited by examiner

Primary Examiner—Terry A. Wallace

(57) **CLAIM**

The ornamental design for a cookie cutter, as shown.

DESCRIPTION

A cookie cutter with multiple cookie cutter shapes. The cookie cutter could be made from metal or plastic for typical functional use, alternatively, it could be made from copper for decorative cookie cutter shapes. In this embodiment, the cookie cutter comprises multiple cookie cutter shapes for Christmas theme decorations.

FIG. 1 is a bottom plan view of a cookie cutter showing our new design;

FIG. 2 is a top plan view thereof;


FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a front view thereof; and,

FIG. 6 is a rear view thereof.

1 Claim, 4 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6