



US00D524242S

(12) **United States Design Patent**
Adams et al.

(10) **Patent No.:** **US D524,242 S**

(45) **Date of Patent:** **** Jul. 4, 2006**

(54) **FUEL SUPPLY FOR FUEL CELLS**
(75) Inventors: **Paul H. Adams**, Monroe, CT (US);
Andrew J. Curello, Hamden, CT (US);
Floyd B. Fairbanks, Naugatuck, CT
(US)

(73) Assignee: **Societe BIC**, Clichy Cedex (FR)

(**) Term: **14 Years**

(21) Appl. No.: **29/244,301**

(22) Filed: **Dec. 7, 2005**

Related U.S. Application Data

(60) Division of application No. 29/199,298, filed on Feb. 12, 2004, and a continuation-in-part of application No. 10/725, 244, filed on Dec. 1, 2003.

(51) **LOC (8) Cl.** **13-02**

(52) **U.S. Cl.** **D13/103**

(58) **Field of Classification Search** D13/102-106,
D13/110, 118-119, 184; 429/96-100, 163,
429/176

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,189,327 A	2/1940	Rieser	
D236,492 S	* 8/1975	Helgesson	D13/103
D265,989 S	8/1982	Harris et al.	
D285,439 S	* 9/1986	Nagele	D14/217
D288,956 S	3/1987	Wadleigh	
D314,183 S	1/1991	Wong	

D337,984 S	* 8/1993	Lindahl	D13/103
D339,322 S	9/1993	Seki et al.	
5,300,372 A	4/1994	Aksoy et al.	
D349,681 S	* 8/1994	Siddoway et al.	D13/103
D355,637 S	* 2/1995	Tracy et al.	D13/103
D355,887 S	* 2/1995	Rodeffer et al.	D13/110
D358,365 S	* 5/1995	Rodeffer et al.	D13/110
D402,641 S	12/1998	Heijnen	
D433,000 S	* 10/2000	Frye	D13/184
D444,448 S	7/2001	Robinson et al.	
D458,218 S	6/2002	Reynolds	
D460,411 S	* 7/2002	Wang	D13/103
D466,095 S	11/2002	Poulter et al.	
D466,486 S	* 12/2002	Gillingham et al.	D13/184
6,555,264 B1	4/2003	Hamada et al.	
6,790,076 B1	9/2004	Patterson	
6,808,844 B1	* 10/2004	Ehara	429/175
2003/0184962 A1	10/2003	Kambayashi et al.	

* cited by examiner

Primary Examiner—Jennifer Rivard

Assistant Examiner—Rosemary K. Tarcza

(74) *Attorney, Agent, or Firm*—The H.T. Than Law Group

(57) **CLAIM**

The ornamental design for a fuel supply for fuel cells, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a fuel supply for fuel cells showing our new design;

FIG. 2 is a front view of the fuel supply thereof;

FIG. 3 is a top view thereof; and,

FIG. 4 is a side view thereof.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4