US00D524285S

(12) **United States Design Patent**
Dayan

(10) **Patent No.: US D524,285 S**
(45) **Date of Patent: ** Jul. 4, 2006**

(54) **MODULATOR**

(75) Inventor: **Mervin A. Dayan**, Oakhurst, NJ (US)

(73) Assignee: **Intellectual Solutions, Inc.**

(**) Term: **14 Years**

(21) Appl. No.: **29/219,410**

(22) Filed: **Dec. 16, 2004**

(51) **LOC (8) Cl.** **14-03**
(52) **U.S. Cl.** **D14/155**
(58) **Field of Classification Search** D21/566; D14/299, 240, 188, 162, 155, 137; D13/168, D13/144, 110, 107; D10/106; 439/668, 490, 439/348, 32; 361/730
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,431,585	A	*	7/1995	Fan	439/668
D403,663	S	*	1/1999	Jones et al.	D13/144
D409,568	S	*	5/1999	Lindahl	D13/144
D433,379	S	*	11/2000	Jokinen	D13/107
D436,080	S	*	1/2001	Hussaini et al.	D13/144
D442,543	S	*	5/2001	Krumenacker et al.	D13/107
6,296,526	B1	*	10/2001	Hussaini et al.	439/668
D456,007	S	*	4/2002	Kuo	D13/110
D469,400	S	*	1/2003	Shor et al.	D13/107
D489,326	S	*	5/2004	Nazar	D13/110
D492,249	S	*	6/2004	Suomalainen et al.	D13/108
D494,542	S	*	8/2004	Hriscu et al.	D13/110
D506,455	S	*	6/2005	Bey et al.	D14/155

OTHER PUBLICATIONS

Cyberguys Internet Catalog—Item No. 204–0172 www.cyberguys.com.

Cyberguys Dec. 2004 Catalog, Item No. 204–0172.

* cited by examiner

Primary Examiner—Cathron C. Brooks
Assistant Examiner—Austin Murphy
(74) *Attorney, Agent, or Firm*—Brian L. Belles; Wolf, Block, Schorr and Solis-Cohen LLP

(57) **CLAIM**

The ornamental design for a modulator, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a modulator showing my design.
FIG. **2** is a top view of the modulator of FIG. **1**.
FIG. **3** is a bottom view of the modulator of FIG. **1**.
FIG. **4** is a right-side view of the modulator of FIG. **1**, the left-side view being a mirror image thereof.
FIG. **5** is a rear view of the modulator of FIG. **1**.
FIG. **6** is a front view of the modulator of FIG. **1**.
FIG. **7** is a perspective view of an alternative embodiment of the modulator.
FIG. **8** is a top view of the modulator of FIG. **7**.
FIG. **9** is a bottom view of the modulator of FIG. **7**.
FIG. **10** is a right-side view of the modulator of FIG. **7**.
FIG. **11** is a left-side view of the modulator of FIG. **7**.
FIG. **12** is a rear view of the modulator of FIG. **7**.
FIG. **13** is a front view of the modulator of FIG. **7**.
FIG. **14** is a perspective view of another alternative embodiment of the modulator.
FIG. **15** is a top view of the modulator of FIG. **14**.
FIG. **16** is a bottom view of the modulator of FIG. **14**.
FIG. **17** is a right-side view of the modulator of FIG. **14**.
FIG. **18** is a left-side view of the modulator of FIG. **14**.
FIG. **19** is a rear view of the modulator of FIG. **14**; and,
FIG. **20** is a front view of the modulator of FIG. **14**.
The broken lines shown in the drawings form no part of the claimed design.

1 Claim, 17 Drawing Sheets





FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12



FIG. 13



FIG. 14



FIG. 15



FIG. 16



FIG. 17



FIG. 18



FIG. 19



FIG. 20