

US00D524339S

(12) **United States Design Patent**
Waring, II et al.

(10) **Patent No.:** **US D524,339 S**
(45) **Date of Patent:** **** Jul. 4, 2006**

(54) **DIGITALLY ENHANCED NIGHT VISION DEVICE**

(75) Inventors: **William Hayne Waring, II**, Allen, TX (US); **Michael D. Waterman**, Chandler, AZ (US); **Kenneth W. Sauter**, Garland, TX (US); **John Murphy**, Arlington, TX (US); **Loig E. Bourree**, Dallas, TX (US); **Bruce V. Hoodswain**, Plano, TX (US); **Sung K. Son**, Richardson, TX (US); **James D. Pruet**, Rockwall, TX (US); **William McMahan**, Lewisville, TX (US)

(73) Assignee: **Litton Systems, Inc.**, Los Angeles, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/225,203**

(22) Filed: **Mar. 11, 2005**

(51) **LOC (8) Cl.** **16-06**

(52) **U.S. Cl.** **D16/132**

(58) **Field of Classification Search** D16/130, D16/132; D22/109; 250/330, 353; 359/808, 359/811, 819; 361/752; 2/422

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D248,860	S	*	8/1978	Spranger et al.	D16/132
D253,177	S	*	10/1979	Litman	D16/130
D266,255	S	*	9/1982	Burbo et al.	D16/133
4,670,912	A	*	6/1987	Hart	2/422
5,179,735	A	*	1/1993	Thomanek	2/422
D351,397	S	*	10/1994	Dor	D16/130
D352,727	S	*	11/1994	Dor	D16/136
D369,613	S	*	5/1996	Palmer	D16/132
D376,377	S	*	12/1996	Palmer	D16/136
D380,222	S	*	6/1997	Bryant	D16/132
6,456,497	B1	*	9/2002	Palmer	361/752
6,787,775	B1	*	9/2004	Bielefeld et al.	250/330

* cited by examiner

Primary Examiner—Paula A. Greene

(74) *Attorney, Agent, or Firm*—Marsteller & Associates, P.C.

(57) **CLAIM**

The ornamental design for a digitally enhanced night vision device, as shown and described.

DESCRIPTION

FIG. 1 is a side view of the digitally enhanced night vision device of the present invention mounted on a ballistic helmet.

FIG. 2 is a top frontal perspective view of the digitally enhanced night vision device sensor module shown separately for purposes of illustration;

FIG. 3 is a side view of the sensor module of the present invention.

FIG. 4 is a top view of the sensor module.

FIG. 5 is an upper right rear perspective view of the digitally enhanced night vision device battery module shown separately for purposes of illustration;

FIG. 6 is an upper left rear perspective view of the battery module.

FIG. 7 is an upper right frontal perspective view of the battery module

FIG. 8 is a right side view of the battery module.

FIG. 9 is a top view of the battery module.

FIG. 10 is a frontal view of the battery module.

FIG. 11 is a top right frontal perspective view of the digitally enhanced night vision device electronic circuitry module shown separately for purposes of illustration;

FIG. 12 is a top left frontal perspective view of the electronic circuitry module.

FIG. 13 is a right lower perspective view of the electronic circuitry module.


FIG. 14 is a top view of the electronic circuitry module.

FIG. 15 is a rear view of the electronic circuitry module.

FIG. 16 is a front view of the electronic circuitry module; and,

FIG. 17 is a right side view of the electronic circuitry module.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17