

US00D524410S

(12) **United States Design Patent**
Tse

(10) **Patent No.:** **US D524,410 S**

(45) **Date of Patent:** **** Jul. 4, 2006**

(54) **SPRAY HEAD FOR SHOWERS**

D493,208 S * 7/2004 Lin D23/213
D496,987 S * 10/2004 Glunk D23/213

(76) **Inventor:** **Hing Fai Gary Tse**, Room 1908-11,
19/F, Telford House, 16 Wang Hoi
Road, Kowloon Bay, Kowloon, Hong
Kong (CN)

* cited by examiner

Primary Examiner—Robin Webster

(**) **Term:** **14 Years**

(57) **CLAIM**

The ornamental design for a spray head for showers, as shown.

(21) **Appl. No.:** **29/221,857**

(22) **Filed:** **Jan. 24, 2005**

DESCRIPTION

(51) **LOC (8) Cl.** **23-01**

The claimed spray head for showers is used for releasing drops of water through the small holes.

(52) **U.S. Cl.** **D23/229**

FIG. 1 is a front elevational view of a spray head for showers showing my new design;

(58) **Field of Classification Search** D23/213,
D23/229, 230, 223; 239/282, 283

FIG. 2 is a rear elevational view thereof;

See application file for complete search history.

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D461,525 S * 8/2002 Lai D23/229

D492,008 S * 6/2004 Haug et al. D23/229

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6