

US00D524410S

(12) **United States Design Patent**  
**Tse**

(10) **Patent No.:** **US D524,410 S**

(45) **Date of Patent:** **\*\* Jul. 4, 2006**

(54) **SPRAY HEAD FOR SHOWERS**

D493,208 S \* 7/2004 Lin ..... D23/213  
D496,987 S \* 10/2004 Glunk ..... D23/213

(76) Inventor: **Hing Fai Gary Tse**, Room 1908-11,  
19/F, Telford House, 16 Wang Hoi  
Road, Kowloon Bay, Kowloon, Hong  
Kong (CN)

\* cited by examiner

*Primary Examiner*—Robin Webster

(\*\*) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a spray head for showers, as  
shown.

(21) Appl. No.: **29/221,857**

(22) Filed: **Jan. 24, 2005**

**DESCRIPTION**

(51) **LOC (8) Cl.** ..... **23-01**

The claimed spray head for showers is used for releasing  
drops of water through the small holes.

(52) **U.S. Cl.** ..... **D23/229**

FIG. 1 is a front elevational view of a spray head for showers  
showing my new design;

(58) **Field of Classification Search** ..... D23/213,  
D23/229, 230, 223; 239/282, 283

FIG. 2 is a rear elevational view thereof;

See application file for complete search history.

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a top plan view thereof; and,


FIG. 6 is a bottom plan view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D461,525 S \* 8/2002 Lai ..... D23/229  
D492,008 S \* 6/2004 Haug et al. .... D23/229

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6