

(12) **United States Design Patent** (10) **Patent No.:** **US D524,632 S**  
**Kearns et al.** (45) **Date of Patent:** **\*\* Jul. 11, 2006**

(54) **LOCK**

(75) Inventors: **Dave Kearns**, Hartford, WI (US); **Paul Peot**, Mequon, WI (US); **Mark Van Handel**, Milwaukee, WI (US)

(73) Assignee: **Master Lock Company**, Oak Creek, WI (US)

(\*\*) **Term:** **14 Years**

(21) Appl. No.: **29/216,787**

(22) Filed: **Nov. 9, 2004**

(51) **LOC (8) Cl.** ..... **08-07**

(52) **U.S. Cl.** ..... **D8/334**

(58) **Field of Classification Search** ..... D8/330,  
D8/331, 333, 334, 336, 339; 70/20, 24-29,  
70/31, 35, 38 R, 40-48, 14  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|             |          |          |        |
|-------------|----------|----------|--------|
| 8,318 A     | 8/1851   | Tilton   |        |
| 229,332 A   | 6/1880   | Pease    |        |
| 439,635 A   | 11/1890  | Bryant   |        |
| 596,596 A   | 1/1898   | Johnson  |        |
| 823,919 A   | 6/1906   | Caldwell |        |
| D38,773 S   | 8/1907   | Erickson |        |
| 1,016,455 A | 2/1912   | Stone    |        |
| 1,172,970 A | 2/1916   | Fowler   |        |
| 1,581,953 A | 4/1926   | Jackson  |        |
| 4,519,226 A | 5/1985   | Hadaway  |        |
| 4,998,423 A | 3/1991   | Hsu      |        |
| 5,044,180 A | 9/1991   | Lebrecht |        |
| D388,688 S  | 1/1998   | Yang     |        |
| 5,765,409 A | * 6/1998 | Yang     | 70/28  |
| D407,294 S  | * 3/1999 | Chen     | D8/334 |
| D407,625 S  | 4/1999   | Yang     |        |
| 5,901,587 A | * 5/1999 | Chen     | 70/28  |

|              |          |                    |        |
|--------------|----------|--------------------|--------|
| 5,918,489 A  | * 7/1999 | Yang               | 70/28  |
| 5,921,123 A  | 7/1999   | Schwarzkopf et al. |        |
| D425,397 S   | * 5/2000 | Fiegenger et al.   | D8/334 |
| D425,398 S   | * 5/2000 | Fiegenger et al.   | D8/334 |
| D426,763 S   | 6/2000   | Adler et al.       |        |
| D428,794 S   | * 8/2000 | Fiegenger et al.   | D8/334 |
| D439,823 S   | 4/2001   | Adler et al.       |        |
| 6,363,758 B1 | * 4/2002 | Ling               | 70/30  |
| D484,777 S   | 1/2004   | Ruan               |        |

**OTHER PUBLICATIONS**

Master Lock, No. 40, Padlocks Product Description, Master Lock web site., 2003.

Locksmith Dealers of America, Discus Padlocks Product Description, Corridor Lock website, Date unknown, Internet print Mar. 29, 2005.

\* cited by examiner

*Primary Examiner*—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Calfee, Halter & Griswold LLP

(57) **CLAIM**

The ornamental design for a lock, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the design of the present invention;

FIG. 2 is a top view of the lock shown in FIG. 1;

FIG. 3 is a front view of the lock shown in FIG. 1;

FIG. 4 is a back view of the lock shown in FIG. 1;


FIG. 5 is a bottom view of the lock shown in FIG. 1;


FIG. 6 is a side view of the lock shown in FIG. 1; and,

FIG. 7 is a side view of the lock shown in FIG. 1.


The broken lines, which define the bounds of the claimed design, form no part thereof. The broken lines environmental are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**