

US00D524652S

(12) **United States Design Patent**
Harada et al.

(10) **Patent No.:** **US D524,652 S**
(45) **Date of Patent:** **** Jul. 11, 2006**

(54) **MOUNT FOR PACKAGING OF BATTERY**

(75) Inventors: **Keiichi Harada**, Osaka (JP); **Shinsuke Hamuro**, Nara (JP)

(73) Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/215,932**

(22) Filed: **Oct. 27, 2004**

(30) **Foreign Application Priority Data**

Apr. 28, 2004	(JP)	2004-013006
Apr. 28, 2004	(JP)	2004-013007
Apr. 28, 2004	(JP)	2004-013008
Apr. 28, 2004	(JP)	2004-013009
Apr. 28, 2004	(JP)	2004-013010
Apr. 28, 2004	(JP)	2004-013011
Apr. 28, 2004	(JP)	2004-013012

(51) **LOC (8) Cl.** **09-07**

(52) **U.S. Cl.** **D9/457**

(58) **Field of Classification Search** D9/499,
D9/457, 456, 455, 434, 433, 432, 415, 414;
D6/513, 315; D20/43, 42, 40, 39, 27, 22;
426/115; 229/942, 906, 902, 115, 103, 101;
206/551, 538, 539, 534, 528-532, 469, 468;
223/87

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D52,212 S * 7/1918 Flannery D9/457

(Continued)

Primary Examiner—Robert M. Spear

Assistant Examiner—Susan Bennett Hattan

(74) *Attorney, Agent, or Firm*—Christensen O'Connor Johnson Kindness PLLC

(57) **CLAIM**

The ornamental design for a mount for packaging of battery, as shown and described.

DESCRIPTION

The file of this patent contains at least one drawing executed in color. Copies of this patent with color drawings will be provided by the Office upon request and payment of the necessary fee.

FIG. 1 is a front view of a mount for packaging of battery showing our new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a left side view thereof, the right side view is identical thereto;

FIG. 4 is a top plan view thereof, the bottom view is identical thereto;

FIG. 5 is a cross sectional view thereof, taken in the direction of line 5—5 in FIG. 1;

FIG. 6 is a front view of the mount for packaging of battery showing our new design of a second embodiment;

FIG. 7 is a rear view thereof;

FIG. 8 is a left side view thereof, the right side view is identical thereto;

FIG. 9 is a top plan view thereof, the bottom view is identical thereto;

FIG. 10 is a cross sectional view thereof, taken in the direction of line 10—10 in FIG. 6;

FIG. 11 is a front view of the mount for packaging of battery showing our new design of a third embodiment;

FIG. 12 is a rear view thereof;

FIG. 13 is a left side view thereof, the right side view is identical thereto;

FIG. 14 is a top plan view thereof, the bottom view is identical thereto;

FIG. 15 is a cross sectional view thereof, taken in the direction of line 15—15 in FIG. 11;

FIG. 16 is a front view of the mount for packaging of battery showing our new design of a fifth embodiment;

FIG. 17 is a rear view thereof;


FIG. 18 is a left side view thereof, the right side view is identical thereto;

FIG. 19 is a top plan view thereof, the bottom view is identical thereto; and,

FIG. 20 is a cross sectional view thereof, taken in the direction of line 20—20 in FIG. 16;

1 Claim, 12 Drawing Sheets

(4 of 12 Drawing Sheet(s) Filed in Color)




US D524,652 S

Page 2

U.S. PATENT DOCUMENTS

D370,174 S	*	5/1996	Bergstedt	D9/415	D468,198 S	*	1/2003	Nakazawa et al.	D9/415
D371,512 S	*	7/1996	Morita	D9/415	D478,008 S	*	8/2003	Rade et al.	D9/457
5,735,404 A		4/1998	Kumakura et al.		D478,508 S		8/2003	Kumakura	
6,029,818 A	*	2/2000	Kumakura et al.	206/469	D478,510 S		8/2003	Kumakura	
D423,344 S	*	4/2000	Kumakura et al.	D9/415	D479,125 S		9/2003	Kumakura et al.	
D423,928 S	*	5/2000	Kumakura et al.	D9/415	D479,126 S		9/2003	Kumakura et al.	
6,070,724 A		6/2000	McCool		D479,687 S		9/2003	Kumakura	
D433,936 S		11/2000	Pirro et al.		D479,688 S		9/2003	Kumakura et al.	
D456,249 S	*	4/2002	Pearson et al.	D9/415	D500,811 S	*	1/2005	Ouelet et al.	D20/39
D467,171 S	*	12/2002	Hirokawa et al.	D9/415					

* cited by examiner



5—
Fig. 1.




Fig. 2.




Fig.3.



Fig.4.



Fig. 5.



Fig. 6.




Fig. 7.




Fig. 8.



Fig. 9.



Fig. 10.



15—
Fig. 11.




Fig. 12.




Fig.13.



Fig.14.



Fig.15.



20 —

Fig. 16.




Fig. 17.




Fig. 18.



Fig. 19.



Fig. 20.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 524,652 S
APPLICATION NO. : 29/215932
DATED : July 11, 2006
INVENTOR(S) : K. Harada et al.


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

TITLE PAGE, ITEM (57)	Description line 33	“fifth” should read --fourth--
(57)	Description line 40	“16;” should read --16.--

Signed and Sealed this

Twenty-third Day of January, 2007

A handwritten signature in black ink on a dotted background. The signature reads "Jon W. Dudas" in a cursive style.

JON W. DUDAS

Director of the United States Patent and Trademark Office