



US00D524654S

(12) **United States Design Patent**  
**Harada et al.**

(10) **Patent No.:** **US D524,654 S**  
(45) **Date of Patent:** **\*\* Jul. 11, 2006**

(54) **MOUNT FOR PACKAGING OF BATTERY**  
(75) Inventors: **Keiichi Harada**, Osaka (JP); **Shinsuke Hamuro**, Nara (JP)  
(73) Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka (JP)  
(\*\*) Term: **14 Years**

D423,344 S \* 4/2000 Kumakura et al. .... D9/415  
D423,928 S \* 5/2000 Kumakura et al. .... D9/415  
6,070,724 A 6/2000 McCool  
D433,936 S 11/2000 Pirro et al.  
D456,249 S \* 4/2002 Pearson et al. .... D9/415  
D467,171 S \* 12/2002 Hirokawa et al. .... D9/415

(Continued)

(21) Appl. No.: **29/240,803**  
(22) Filed: **Oct. 19, 2005**

*Primary Examiner*—Robert M. Spear  
*Assistant Examiner*—Susan Bennett Hattan  
(74) *Attorney, Agent, or Firm*—Christensen O'Connor Johnson Kindness PLLC

(57) **CLAIM**

The ornamental design for a mount for packaging of battery, as shown and described.

**Related U.S. Application Data**

(62) Division of application No. 29/215,932, filed on Oct. 27, 2004.

**DESCRIPTION**

(30) **Foreign Application Priority Data**

Apr. 28, 2004 (JP) ..... 2004-013006  
Apr. 28, 2004 (JP) ..... 2004-013007  
Apr. 28, 2004 (JP) ..... 2004-013008  
Apr. 28, 2004 (JP) ..... 2004-013009  
Apr. 28, 2004 (JP) ..... 2004-013010  
Apr. 28, 2004 (JP) ..... 2004-013011  
Apr. 28, 2004 (JP) ..... 2004-013012

The file of this patent contains at least one drawing/photograph executed in color. Copies of this patent with color drawing(s)/photograph(s) will be provided by the Office upon request and payment of the necessary fee.

FIG. 1 is a front view of the mount for packaging of battery showing a first embodiment of our new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a left side view thereof, the right side view is identical thereto;

FIG. 4 is a top plan view thereof, the bottom view is identical thereto;

FIG. 5 is a cross sectional view thereof, taken in the direction of line 5—5 in FIG. 1;

FIG. 6 is a front view of the mount for packaging of battery showing a second embodiment of our new design;

FIG. 7 is a rear view thereof;

FIG. 8 is a left side view thereof, the right side view is identical thereto;

FIG. 9 is a top plan view thereof, the bottom view is identical thereto; and,

FIG. 10 is a cross sectional view thereof; taken in the direction of line 10—10 in FIG. 6.

(51) **LOC (8) Cl.** ..... **09-03**  
(52) **U.S. Cl.** ..... **D9/457**  
(58) **Field of Classification Search** ..... D9/499,  
D9/457, 456, 455, 434, 433, 432, 415, 414;  
D6/513, 315; D20/43, 42, 40, 39, 27, 22;  
426/115; 229/942, 906, 902, 115, 103, 101;  
206/551, 538, 539, 534, 528–532, 469, 468;  
223/87

See application file for complete search history.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D52,212 S \* 7/1918 Flannery ..... D9/457  
D370,174 S \* 5/1996 Bergstedt ..... D9/415  
D371,512 S \* 7/1996 Morita ..... D9/415  
5,735,404 A 4/1998 Kumakura et al.  
6,029,818 A \* 2/2000 Kumakura et al. .... 206/469

**1 Claim, 6 Drawing Sheets**

**(1 of 6 Drawing Sheet(s) Filed in Color)**



# US D524,654 S


Page 2

---


## U.S. PATENT DOCUMENTS

D468,198 S	*	1/2003	Nakazawa et al. ....	D9/415	D479,126 S		9/2003	Kumakura et al.	
D478,008 S	*	8/2003	Rade et al. ....	D9/457	D479,687 S		9/2003	Kumakura	
D478,508 S		8/2003	Kumakura		D479,688 S		9/2003	Kumakura et al.	
D478,510 S		8/2003	Kumakura		D500,811 S	*	1/2005	Ouelet et al. ....	D20/39
D479,125 S		9/2003	Kumakura et al.						

\* cited by examiner



*Fig. 1.*



*Fig. 2.*




***Fig.3.***




***Fig.4.***




*Fig. 5.*



*Fig. 6.*



*Fig. 7.*



***Fig. 8.***



***Fig. 9.***





*Fig. 10.*