



US00D524665S

(12) **United States Design Patent**  
**Taisto**

(10) **Patent No.:** **US D524,665 S**  
(45) **Date of Patent:** **\*\* Jul. 11, 2006**

(54) **HOUSING FOR A GPS VEHICLE LOCATION DEVICE**

(75) Inventor: **Gregory T. Taisto**, Green Bay, WI (US)

(73) Assignee: **Enhanced Vehicle Applications LLC**,  
Green Bay, WI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/216,407**

(22) Filed: **Nov. 2, 2004**

(51) **LOC (8) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/65**

(58) **Field of Classification Search** ..... D10/65,  
D10/78; 342/357.06–357.09, 357.1, 357.13;  
343/702; 701/206–209, 213–214

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D363,672 S	*	10/1995	Yuen	.....	D10/78
D416,502 S	*	11/1999	Autry et al.	.....	D10/65
D456,289 S	*	4/2002	Laverick	.....	D10/65
6,751,552 B1	*	6/2004	Minelli	.....	701/213
D508,213 S	*	8/2005	Silzer et al.	.....	D10/65
2006/0001578 A1	*	1/2006	Holmes et al.	.....	343/702

\* cited by examiner

*Primary Examiner*—Antoine D. Davis

*Assistant Examiner*—Patricia Palasik

(74) *Attorney, Agent, or Firm*—Godfrey & Kahn, S.C.

(57) **CLAIM**

The ornamental design for a housing for a GPS vehicle location device, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of an embodiment of a housing for a GPS vehicle location device showing my new design;

FIG. 2 is a bottom perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a top perspective view of another embodiment of a housing for a GPS vehicle location device showing my new design;

FIG. 8 is a bottom perspective view thereof;

FIG. 9 is a front elevational view thereof;

FIG. 10 is a rear elevational view thereof;

FIG. 11 is a right side elevational view thereof;

FIG. 12 is a left side elevational view thereof;

FIG. 13 is a top plan view of another embodiment of a housing for a GPS vehicle location device showing my new design;

FIG. 14 is a bottom plan view thereof;

FIG. 15 is a front elevational view thereof;

FIG. 16 is a rear elevational view thereof;

FIG. 17 is a right side elevational view thereof, the left side elevation being a mirror image;

FIG. 18 is a top plan view of another embodiment of a housing for a GPS vehicle location device showing my new design;

FIG. 19 is a bottom plan view thereof;

FIG. 20 is a front elevational view thereof;

FIG. 21 is a rear elevational view thereof;

FIG. 22 is a right side elevational view thereof; and,

FIG. 23 is a left side elevational view thereof.

**1 Claim, 12 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12






FIG. 13




FIG. 14






FIG. 15





FIG. 16



**FIG. 17**




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23

