

US00D524678S

(12) **United States Design Patent**  
**Fishman et al.**

(10) **Patent No.:** **US D524,678 S**  
(45) **Date of Patent:** **\*\* Jul. 11, 2006**

(54) **COMPARTMENT DEVICE**

(76) Inventors: **Jeff J. Fishman**, 2551 Brentwood Dr.,  
Salt Lake City, UT (US) 84121; **Marie**  
**T. Fishman**, 2551 Brentwood Dr., Salt  
Lake City, UT (US) 84121

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/231,427**

(22) **Filed:** **Jun. 3, 2005**

(51) **LOC (8) Cl.** ..... **11-01**

(52) **U.S. Cl.** ..... **D11/2**

(58) **Field of Classification Search** ..... D11/1,  
D11/2, 6-12, 26-28, 34-43, 47, 75, 79, 89-93;  
D10/30, 31, 32, 38; 63/3, 7, 18; 40/633  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,352,863	A	*	9/1920	Zeitler et al.	.....	D11/2
1,536,365	A	*	5/1925	Wiseman	.....	D11/2
D85,403	S	*	10/1931	Swanson	.....	D11/2
1,982,248	A	*	11/1934	Gebhardt	.....	D11/2
2,073,280	A		3/1937	Lederer		
3,010,627	A	*	11/1961	Hoover	.....	D11/2
3,202,331	A	*	8/1965	McKinstrie	.....	D11/2
3,330,057	A		7/1967	Rodgers		
3,526,985	A		9/1970	Reith		
3,645,023	A		2/1972	Larson		
3,810,566	A		5/1974	Adams et al.		
4,199,882	A		4/1980	Clayman		
4,226,036	A		10/1980	Krug		
D279,671	S	*	7/1985	Stanton	.....	D10/32
D316,983	S		5/1991	Houlihan		
5,283,969	A		2/1994	Weiss		

5,493,805	A		2/1996	Penuela et al.		
5,499,468	A		3/1996	Henry		
5,577,007	A		11/1996	Houlihan		
5,649,381	A		7/1997	Studer		
5,765,875	A		6/1998	Rowley		
D427,379	S	*	6/2000	Thorpe	.....	D11/26
6,085,449	A		7/2000	Tsui		
6,186,552	B1		2/2001	Seabrook		
D455,358	S	*	4/2002	Mauboussin	.....	D10/32
6,510,988	B1		1/2003	Kraus		
D503,647	S	*	4/2005	Fishman et al.	.....	D11/4

\* cited by examiner

*Primary Examiner*—Doris Clark

*Assistant Examiner*—Michael A. Pratt

(74) *Attorney, Agent, or Firm*—Thorpe North & Western  
LLP


(57) **CLAIM**


The ornamental design for a compartment device, as shown  
and described.

**DESCRIPTION**


FIG. 1 is a perspective view of the compartment device with  
the compartment open showing our new design;  
FIG. 2 is a perspective view thereof, with the compartment  
closed;  
FIG. 3 is a top view thereof;  
FIG. 4 is a bottom view thereof;  
FIG. 5 is a left elevation view thereof;  
FIG. 6 is a right elevation view thereof;  
FIG. 7 is a front elevation view thereof; and,  
FIG. 8 is a rear elevation view thereof.  
The broken lines shown in FIGS. 1-2 are for illustrative  
purposes only and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**







**Fig. 1**




**Fig. 2**




**Fig. 3**




**Fig. 4**




**Fig. 5**



**Fig. 6**



***Fig. 7***



***Fig. 8***