



US00D524900S

(12) **United States Design Patent**
Reis

(10) **Patent No.:** **US D524,900 S**

(45) **Date of Patent:** **** Jul. 11, 2006**

(54) **PORTABLE OUTDOOR SHELTER**

(75) Inventor: **Michael Reis**, Grand Blanc, MI (US)

(73) Assignee: **Eastman Holding Company**, Flushing, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/234,113**

(22) Filed: **Jul. 13, 2005**

Related U.S. Application Data

(63) Continuation-in-part of application No. 11/060,079, filed on Feb. 17, 2005.

(51) **LOC (8) Cl.** **21-04**

(52) **U.S. Cl.** **D21/837**

(58) **Field of Classification Search** D21/834-839;
D25/13, 16-20, 26, 56; 135/87, 100, 121,
135/124, 126, 128, 135, 136, 143, 156, 901,
135/902; 446/487, 478

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,570,507 A	3/1971	Kashuba	
3,709,237 A	1/1973	Smith	
3,810,482 A	5/1974	Beavers	
4,067,346 A	1/1978	Husted	
4,073,105 A *	2/1978	Daugherty 52/169.9
4,263,925 A	4/1981	Arganbright	
4,285,354 A *	8/1981	Beavers 135/135
D266,156 S	9/1982	Ebner et al.	
4,631,877 A	12/1986	Molodecki	
4,926,893 A	5/1990	Klopfenstein et al.	

4,938,243 A *	7/1990	Foster 135/136
5,341,588 A	8/1994	Lizotte	
D363,755 S	10/1995	Diederich	
5,628,338 A	5/1997	Stumbo	
5,749,387 A	5/1998	Thompson	
D397,756 S *	9/1998	Hagerty D21/811
6,092,544 A *	7/2000	Zheng 135/125
D429,307 S *	8/2000	Wu et al. D21/834
D432,620 S	10/2000	Rozkowski	
6,155,279 A	12/2000	Humphrey	
6,296,415 B1 *	10/2001	Johnson et al. 403/170
6,318,394 B1 *	11/2001	Zheng 135/126
D505,175 S *	5/2005	Wehner D21/834
2003/0140573 A1	7/2003	Marcinkowski et al.	

* cited by examiner

Primary Examiner—Holly Baynham

Assistant Examiner—Cynthia M. Chin

(74) *Attorney, Agent, or Firm*—Carrier, Blackman & Associates, P.C.; William D. Blackman; Joseph P. Carrier

(57) **CLAIM**


The ornamental design for a portable outdoor shelter, substantially as shown.

DESCRIPTION

FIG. 1 is a top perspective view of my new, original and ornamental design for a portable outdoor shelter; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 524,900 S
APPLICATION NO. : 29/234113
DATED : July 11, 2006
INVENTOR(S) : Reis

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page:

After

Item “(63) Continuation-in-part of application No. 11/060,079, filed on Feb. 17, 2005.”
insert

Item --(60) Provisional application No. 60/545,742, filed on Feb. 18, 2004.--.

Signed and Sealed this

Twenty-third Day of January, 2007

A handwritten signature in black ink on a dotted background. The signature reads "Jon W. Dudas" in a cursive style.

JON W. DUDAS

Director of the United States Patent and Trademark Office