



US00D525100S

(12) **United States Design Patent**  
**Huang et al.**

(10) **Patent No.: US D525,100 S**  
(45) **Date of Patent: \*\* Jul. 18, 2006**

(54) **ELECTRIC IMPACT WRENCH WITH A RECHARGEABLE BATTERY**

(75) Inventors: **San-I Huang**, Taichung (TW);  
**Hao-Jung Yeh**, Taichung (TW)

(73) Assignee: **Techway Industrial Co., Ltd.**,  
Taichung (TW)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/242,643**

(22) Filed: **Nov. 11, 2005**

(51) **LOC (8) Cl.** ..... **08-05**

(52) **U.S. Cl.** ..... **D8/68**

(58) **Field of Classification Search** ..... D8/14.1,  
D8/61, 62, 63, 64, 65, 66, 67, 68, 69, 70;  
81/57.11, 429, 464, 465, 466, 469, 489; 173/13,  
173/104, 114, 168, 169, 170, 171, 178, 201,  
173/211, 213, 217; 408/20, 124, 125, 234,  
408/241 R; 451/358; 310/50; 227/8, 114,  
227/120, 130, 136, 142

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D295,714 S \* 5/1988 Sasaki et al. .... D8/68  
D340,396 S \* 10/1993 Ichikawa ..... D8/68  
D392,863 S \* 3/1998 Sugimoto et al. .... D8/68  
D404,276 S \* 1/1999 Ghode et al. .... D8/68  
D419,413 S \* 1/2000 Heun ..... D8/68  
D424,902 S \* 5/2000 Gildersleeve et al. .... D8/68  
6,158,526 A \* 12/2000 Ghode et al. .... 173/211

6,457,535 B1 \* 10/2002 Tanaka ..... 173/178  
D477,205 S \* 7/2003 Sakai et al. .... D8/68  
D484,384 S \* 12/2003 Ghode et al. .... D8/68  
6,729,415 B1 \* 5/2004 Huang ..... 173/217  
D493,344 S \* 7/2004 Watson ..... D8/68  
D499,945 S \* 12/2004 Sugawara et al. .... D8/68  
6,840,335 B1 \* 1/2005 Wu ..... 310/50  
6,860,342 B1 \* 3/2005 Wu et al. .... 173/217  
D508,837 S \* 8/2005 Andriolo ..... D8/68  
2005/0279197 A1 \* 12/2005 Wottreng et al. .... 81/469

**FOREIGN PATENT DOCUMENTS**

GB 3000904 S \* 1/2002  
GB 3009344 S \* 12/2002

\* cited by examiner

*Primary Examiner*—T. Chase Nelson

(74) *Attorney, Agent, or Firm*—William E. Pelton, Esq.


(57) **CLAIM**

The ornamental design for an electric impact wrench with a rechargeable battery, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an electric impact wrench with a rechargeable battery, showing our new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a top view thereof; and,  
FIG. 7 is a bottom view thereof.

**1 Claim, 5 Drawing Sheets**






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG. 6




FIG. 7