



US00D525210S

(12) **United States Design Patent** (10) **Patent No.:** **US D525,210 S**  
**Disbennett et al.** (45) **Date of Patent:** **\*\* Jul. 18, 2006**

(54) **SINGLE FUSE HOLDER**

(75) Inventors: **Scott Disbennett**, Lake Mary, FL (US);  
**Edward T. Robertson**, Port Orange, FL (US)

(73) Assignee: **Metra Electronics Corporation**, Holly Hill, FL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/222,517**

(22) Filed: **Feb. 2, 2005**

(51) **LOC (8) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D13/161**

(58) **Field of Classification Search** ..... D13/160,  
D13/161, 178; 337/181, 186, 196, 199, 205,  
337/213; 361/600, 626, 642, 646, 833, 834,  
361/809, 835; 439/76.12, 621, 622, 698,  
439/830, 831, 832

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,002,505 A	3/1991	Jones et al.	439/622
D326,845 S	* 6/1992	Katz et al.	D13/160
5,167,541 A	12/1992	Alves et al.	439/622
D336,463 S	* 6/1993	Nimpoeno et al.	D13/161
5,618,209 A	4/1997	Lin et al.	439/621
D381,010 S	7/1997	Ansley	D13/178
5,648,749 A	7/1997	Lin et al.	337/205
D390,831 S	2/1998	Liang	D13/178
D406,569 S	* 3/1999	Awbrey et al.	D13/178
6,004,159 A	12/1999	Liang	439/621
6,162,097 A	12/2000	Liang	439/621
6,326,878 B1	12/2001	Liang	337/215
6,551,141 B1	4/2003	Liang	439/621
D490,381 S	* 5/2004	Dejan	D13/178
2001/0035819 A1	11/2001	Tsai	340/439

\* cited by examiner

*Primary Examiner*—Stella Reid  
*Assistant Examiner*—Selina Sikder

(74) *Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto

(57) **CLAIM**

We claim the ornamental design for a single fuse holder, as shown and described.

**DESCRIPTION**

FIG. 1 is a left-front perspective view of a first embodiment of a single fuse holder showing our new design;

FIG. 2 is a top plan view of FIG. 1;

FIG. 3 is a front elevation of FIG. 1. The rear elevation is a mirror image thereof;

FIG. 4 is a left side elevation of FIG. 1. The right side elevation is a mirror image thereof;

FIG. 5 is a bottom plan view of FIG. 1;

FIG. 6 is a left-front perspective view of a second embodiment of a single fuse holder showing our new design;

FIG. 7 is a top plan view of FIG. 6;

FIG. 8 is a front elevation of FIG. 6. The rear elevation is a mirror image thereof;

FIG. 9 is a left side elevation of FIG. 6. The right side elevation is a mirror image thereof;

FIG. 10 is a bottom plan view of FIG. 6;

FIG. 11 is a left-front perspective of a third embodiment of a single fuse holder showing our new design;

FIG. 12 is a top plan view of FIG. 11;


FIG. 13 is a front elevation of FIG. 11. The rear elevation is a mirror image thereof;


FIG. 14 is a left side elevation of FIG. 11. The right elevation is a mirror image thereof; and,

FIG. 15 is a bottom plan view of FIG. 11.


The broken line showing of the environment is for illustrative purpose only and forms no part of the claimed design.

**1 Claim, 15 Drawing Sheets**






**FIG. 1**




**FIG. 2**







**FIG. 3**




**FIG. 4**



**FIG. 5**




**FIG. 6**




**FIG. 7**







**FIG. 8**



**FIG. 9**




**FIG. 10**




**FIG. 11**







**FIG. 12**



**FIG. 13**



**FIG. 14**



**FIG. 15**