



US00D525747S

(12) **United States Design Patent**
Robinson

(10) **Patent No.:** **US D525,747 S**
(45) **Date of Patent:** **** Jul. 25, 2006**

(54) **PREFORMED ARTIFICIAL NAIL HAVING
FLARED FREE EDGE**

(75) Inventor: **Kenneth D. Robinson**, Laguna Niguel,
CA (US)

(73) Assignee: **Pacific World Corporation**, Lake
Forest, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/197,354**

(22) Filed: **Jan. 14, 2004**

(51) **LOC (8) Cl.** **28-03**

(52) **U.S. Cl.** **D28/56**

(58) **Field of Classification Search** D28/56,
D28/57, 62; 132/73, 200

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,625,740 A 12/1986 Roth
5,209,250 A 5/1993 Taeckens

(Continued)

FOREIGN PATENT DOCUMENTS

FR 2534120 4/1984

OTHER PUBLICATIONS

Photographs of acrylic nails build up on user's nail using a standard, unflared nail tip and acrylic liquid and powder, Apr. and Jul. 2004 —Applicant understands these acrylic nails to have been available as early Oct. 2003.

Primary Examiner—Jennifer Rivard

(74) *Attorney, Agent, or Firm*—Leydig, Voit & Mayer, Ltd.

(57) **CLAIM**

I claim the ornamental design for the preformed artificial nail having flared free edge, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a first preformed artificial nail tip constructed in accordance with teachings of the invention.

FIG. 2 is a plan view of a preformed artificial nail tip of FIG. 1.

FIG. 3 is a side elevational view of a preformed artificial nail tip of FIGS. 1–2, the opposite side elevational view being a mirror image.

FIG. 4 is an elevational view of the proximal end of the preformed artificial nail tip of FIGS. 1–3.

FIG. 5 is an elevational view of the distal end of the preformed artificial nail tip of FIGS. 1–4.

FIG. 6 is a bottom view of the preformed artificial nail tip of FIGS. 1–5.

FIG. 7 is a top perspective view of a second embodiment of a preformed artificial nail tip constructed in accordance with teachings of the invention.

FIG. 8 is a plan view of a preformed artificial nail tip of FIG. 7.

FIG. 9 is a side elevational view of a preformed artificial nail tip of FIGS. 7–8, the opposite side elevational view being a mirror image.

FIG. 10 is an elevational view of the proximal end of the preformed artificial nail tip of FIGS. 7–9.

FIG. 11 is an elevational view of the distal end of the preformed artificial nail tip of FIGS. 7–10.

FIG. 12 is a bottom view of the preformed artificial nail tip of FIGS. 7–11.

FIG. 13 is a top perspective view of a third embodiment a preformed artificial nail tip constructed in accordance with teachings of the invention.

FIG. 14 is a plan view of a preformed artificial nail tip of FIG. 13.


FIG. 15 is a side elevational view of a preformed artificial nail tip of FIGS. 13–14, the opposite side elevational view being a mirror image.

FIG. 16 is an elevational view of the proximal end of the preformed artificial nail tip of FIGS. 13–15.

FIG. 17 is an elevational view of the distal end of the preformed artificial nail tip of FIGS. 13–16.

FIG. 18 is a bottom view of the preformed artificial nail tip of FIGS. 13–17.

1 Claim, 6 Drawing Sheets



US D525,747 S

Page 2

U.S. PATENT DOCUMENTS			
5,450,864	A	9/1995	LaJoie et al.
5,513,664	A	5/1996	Krupsky
5,676,165	A	10/1997	Bannett
D397,514	S	* 8/1998	Shilinsky et al. D28/56
5,924,427	A	* 7/1999	Jensen 132/200
5,927,293	A	* 7/1999	Halpern 132/200
D449,900	S	* 10/2001	Washington D28/56
6,354,304	B1	3/2002	Chang
D500,893	S	* 1/2005	Chang D28/56
2004/0079381	A1	* 4/2004	Han 132/73

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17



FIG. 18

